

ENGLISH #1

1 LOCATION OF WATER WELL: Fraction $\frac{1}{4}$ C $\frac{1}{4}$ NE $\frac{1}{4}$ Section Number 8 Township Number T 25 S Range Number R 16 EW

County: EDWARDS Distance and direction from nearest town or city street address of well if located within city? BELPRE 3 3/4 S WESTSIDE

2 WATER WELL OWNER: KAW DRILLING CO. RR#, St. Address, Box #: 1010 UNION CENTER City, State, ZIP Code: WICHITA, KS 67202 Board of Agriculture, Division of Water Resources Application Number: T82-458

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram of a 1-mile square section divided into four quadrants: NW, NE, SW, SE. An 'X' is marked in the NE quadrant.]

4 DEPTH OF COMPLETED WELL: 7.5 ft. ELEVATION: 45 ft. WELL'S STATIC WATER LEVEL: 18 ft. below land surface measured on mo/day/yr 8-17-82

Pump test data: Well water was 0 ft. after 0 hours pumping gpm Est. Yield gpm: Well water was 0 ft. after 0 hours pumping gpm Bore Hole Diameter: 7 7/8 in. to 7 5/8 in. to 7 5/8 in. to

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass CASING JOINTS: Glued XY Clamped Welded Threaded

Blank casing diameter 6 in. to 5.5 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 12 in., weight 7.65 lbs./ft. Wall thickness or gauge No. 2.14

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1/8 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 5.5 ft. to 7.5 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 4.5 ft. to 7.5 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 1.0 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: NONE 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	5	SAND			
5	15	CLAY			
15	25	SANDY CLAY			
25	35	CLAY			
35	45	SANDY CLAY			
45	75	GRAVEL			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-17-82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 389 This Water Well Record was completed on (mo/day/yr) 9-2-82 under the business name of BELSEN WATER WELL SERV. INC by (signature) Rudolph Meuser

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T 25
R 16
SEC. 8
C 1/4 NE 1/4