Istance and direction from nearest town or city street address of well if located within city? TRUSCALE 2 1 1 1 1 1 1 1 1 1	ELEVATION: .ft. 2.
WATER WELL OWNER: D. N. L. DUCK OIL CO. THC OIL #, St. Address, Box #: 22 i 5. BROANWAY SUITE 400 #, State, ZIP Code : L.	Board of Agriculture, Division of Water Resource Application Number: T82-26 ELEVATION:
WATER WELL OWNER: D. 7 LAUCK OIL COLING OIL #, St. Address, Box # : 22 5. BROADWHY SUITE 400 , State, ZIP Code : WILHTA, K 5 6 7 2 0 2 OCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL	Board of Agriculture, Division of Water Resource Application Number: T82-26 ELEVATION:
#, St. Address, Box # : 22 5, BROADWAY SUITE 400 State, ZIP Code : WILL'S LOCATION WITH N "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1	Board of Agriculture, Division of Water Resource Application Number: T82-26 ELEVATION:
#, St. Address, Box # : 22 5, BRONNWAY SUITE 400 I, State, ZIP Code	Board of Agriculture, Division of Water Resource Application Number: T82-26 ELEVATION:
COCATE WELL'S LOCATION WITH A DEPTH OF COMPLETED WELL. Depth(s) Groundwater Encountered 1	Application Number: TS2-26 ELEVATION:
DEPTH OF COMPLETED WELL. WELL'S STATIC WATER LEVEL Pump test data: Well water was Est. Yield gpm: Well water was Bore Hole Diameter WELL WATER TO BE USED AS: 5 Public water supp 1 Domestic 2 Irrigation Was a chemical/bacteriological sample submitted to Departm mitted TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 7 Fiberglass Ac casing diameter in. to fit. Dia in. to in. weight 7 Five PUC 4 ABS 1 Steel 3 Stainless steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 1 Steel 3 Stainless steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 6 Wire wrapped 7 Torch cut REEN-PERFORATED INTERVALS: From fit. to GRAVEL PACK INTERVALS: From fit. to From fit. to GRAVEL PACK INTERVALS: From fit. to From fit. to SHOUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	ELEVATION: ft. 2
Depth(s) Groundwater Encountered 1	In the fit 2. 3. 6. ft. 3. ft. 4. ft. 4. ft. 5. ft. 4. ft. 6. ft. 5. ft. 4. fter ft. 6. ft. 6. ft. 5. ft. 4. fter ft. 6.
WELL'S STATIC WATER LEVEL / 2 ft. below la Pump test data: Well water was Pump test data: Well water was Bore Hole Diameter . 7 / 8 in. to WELL WATER TO BE USED AS: 5 Public water supp 1 Domestic 3 Feedlot 6 Oil field water supp 2 Irrigation 4 Industrial 7 Lawn and garden was a chemical/bacteriological sample submitted to Department of the part	In and surface measured on mo/day/yr
Pump test data: Well water was Est. Yield gpm: Well water was Bore Hole Diameter 7.7.8 in. to WELL WATER TO BE USED AS: 5 Public water supp 1 Domestic 3 Feedlot 6 Oil field water supp 2 Irrigation 4 Industrial 7 Lawn and garden Was a chemical/bacteriological sample submitted to Departm mitted TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specification) 2 PVC 4 ABS In to ft., Dia in. to sing height above land surface. 7 PVC 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 7 Torch cut REEN-PERFORATED INTERVALS: From ft. to GRAVEL PACK INTERVALS: From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	ft. after hours pumping gpr ft. after hours pumping gpr ft. after hours pumping gpr ft. and in to ply 8 Air conditioning 11 Injection well pply 9 Dewatering 12 Other (Specify below) n only 10 Observation well nent? Yes No; If yes, mo/day/yr sample was st Water Well Disinfected? Yes No CASING JOINTS: Glued X. Clamped fty below) Welded ft., Dia in to ft. Ibs./ft. Wall thickness or gauge No. 2//4. 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 8 Saw cut 12 None (open hole) 9 Drilled holes 10 Other (specify) ft., From ft. to ft. to
Est. Yield gpm: Well water was Bore Hole Diameter 7.1.8 in. to 6.0. WELL WATER TO BE USED AS: 5 Public water supp 1 Domestic 3 Feedlot 6 Oil field water supp 2 Irrigation 4 Industrial 7 Lawn and garden was a chemical/bacteriological sample submitted to Department of the property of th	ft. after hours pumping gpr ft., and in. to ft., and ft.,
Bore Hole Diameter . 7. In. to	
WELL WATER TO BE USED AS: 5 Public water supp 1	ply 8 Air conditioning 11 Injection well pply 9 Dewatering 12 Other (Specify below) n only 10 Observation well ment? Yes
1 Domestic 3 Feedlot 6 Oil field water sup 2 Irrigation 4 Industrial 7 Lawn and garden Was a chemical/bacteriological sample submitted to Departm mitted TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specification of the continuous sing diameter 1 in. to 1 in., weight 1 in. to 1 in. to 1 in., weight 1 in. to 1 in. to 1 in. to 1 in., weight 1 in. to 1 in., weight 1 in. to 1 in. to 1 in., weight 1 in. to 1 in. to 1 in., weight 1 in. to 1 in. to 1 in., weight 1 in. to 1 in. to 1 in. to 1 in., weight 1 in. to 1 in. to 1 in. to 1 in. to 1 in., weight 1 in. to 1.	pply 9 Dewatering 12 Other (Specify below) n only 10 Observation well nent? Yes
2 Irrigation 4 Industrial 7 Lawn and garden Was a chemical/bacteriological sample submitted to Department witted TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specifical sample submitted to Department witted 7 Fiberglass 9 Other (specifical sample submitted to Department witted) 8 Concrete tile 9 Other (specifical sample submitted to Department witted) 9 Type OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 9 Other (specifical sample submitted) 9 Other (specifical sample submitted to Department witted) 7 Fiberglass 9 Other (specifical sample submitted to Department submitted) 9 Other (specifical sample submitted to Department submitted) 7 Fiberglass 9 Other (specifical sample submitted to Department submitted) 9 Other (specifical sample submitted to Department submitted) 7 Fiberglass 9 Other (specifical sample submitted to Department	ment? Yes
Was a chemical/bacteriological sample submitted to Department of the mitted state of t	Mater Well Disinfected? Yes No CASING JOINTS: Glued X. Clamped fly below) Welded ft., Dia 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 9 Drilled holes 10 Other (specify) 10 Other (specify) 11 None (open hole) 9 Drilled holes 10 Other (specify) ft., From 15 yes, mo/day/yr sample was st. No
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specifically 2 PVC 4 ABS 7 Fiberglass 7 Fiberglass 7 Fiberglass 9 Other (specifically 2 PVC 4 ABS 7 Fiberglass 9 Other (specifically 2 PVC 4 ABS 7 Fiberglass 9 Other (specifically 2 PVC 4 ABS 7 Fiberglass 9 Other (specifically 2 PVC 4 ABS 7 Fiberglass 9 Other (specifically 2 PVC 4 ABS 9 Other (specifically 2 PVC 4 ABS 9 Other (specifically 2 PVC 4 ABS 9 Other (specifically 3 PVC 4 ABS 9 Other (specifically 3 Other (specifically	Water Well Disinfected? Yes No CASING JOINTS: Glued X. Clamped fly below) Welded Threaded Ibs./ft. Wall thickness or gauge No 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole) 12 None used (open hole) 13 Drilled holes 14 None (open hole) 15 Drilled holes 16 Other (specify) 17 From 18 Saw cut 19 Drilled holes 10 Other (specify) 10 Other (specify) 11 None (open hole)
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specifically provided in the content of the content	CASING JOINTS: Glued .X. Clamped fly below) Welded Threaded ft., Dia Ibs./ft. Wall thickness or gauge No 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole) 9 Drilled holes 10 Other (specify) 11 None (open hole)
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specifically processed and surface in to include the processed and surface in to include the processed and surface in to include the processed in t	Threaded
2 PVC 4 ABS 7 Fiberglass nk casing diameter in to fit, Dia in fit, Dia in to fit	Threaded.
nk casing diameter in. to in. to in., weight in., bia in. to in., weight above land surface. In., weight in., to in., to in., weight in., to in., weight in., to in., weight in., to in., weight in., to in., to in., weight in., to in., to in., weight in., to in., weight in., to in., to in., weight in.,	Ibs./ft. Wall thickness or gauge No
in, weight above land surface	10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 8 Saw cut 9 Drilled holes 10 Other (specify) 11. None (open hole) 12. None (open hole) 13. None (open hole) 14. None (open hole) 15. The control of the control open hole (open hole) 16. From the control open hole (open hole)
in, weight above land surface	10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 8 Saw cut 9 Drilled holes 10 Other (specify) 11. None (open hole) 12. None (open hole) 13. None (open hole) 14. None (open hole) 15. The control of the control open hole (open hole) 16. From the control open hole (open hole)
PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut REEN-PERFORATED INTERVALS: From ft. to GRAVEL PACK INTERVALS: From ft. to From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 8 Saw cut 9 Drilled holes 10 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut REEN-PERFORATED INTERVALS: From ft. to From ft. to GRAVEL PACK INTERVALS: From ft. to From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	11 Other (specify) 12 None used (open hole) 8 Saw cut 9 Drilled holes 10 Other (specify) ft., From 11 None (open hole) 12 None (open hole) 13 None (open hole) 14 None (open hole) 15 The control of the control open hole open ho
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut REEN-PERFORATED INTERVALS: From ft. to GRAVEL PACK INTERVALS: From ft. to From ft. to From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	12 None used (open hole) 8 Saw cut 9 Drilled holes 10 Other (specify) ft., From
AREEN OR PERFORATION OPENINGS ARE: 15 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut REEN-PERFORATED INTERVALS: From ft. to GRAVEL PACK INTERVALS: From ft. to From ft. to From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	8 Saw cut 11 None (open hole) 9 Drilled holes 10 Other (specify)
1 Continuous slot 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut REEN-PERFORATED INTERVALS: From. ## ## ## ## ## ## ## ## ## ## ## ## ##	9 Drilled holes 10 Other (specify)
2 Louvered shutter 4 Key punched 7 Torch cut REEN-PERFORATED INTERVALS: From. ft. to From. ft. to GRAVEL PACK INTERVALS: From. J. U. From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	10 Other (specify)
REEN-PERFORATED INTERVALS: From. 40 ft. to 60 ft. to 6	ft., From ft. to
From	ft., From
From	ft., From
From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	ft., From
From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite	ft., From ft. to f
out Intervals: From \mathcal{O} ft. to \mathcal{O} ft., From ft. to	
at is the nearest source of possible contamination:	0 Livestock pens 14 Abandoned water well
77040 =	
	2 Fertilizer storage 16 Other (specify below)
	3 Insecticide storage
	low many feet?
	D LITHOLOGIC LOG
0 8 SANDY SOIL 8 25 GRAUEL	
25 30 CLAY	
30 60 6NAVEL	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2	2) reconstructed or (3) already under my jurisdiction and wa
pleted on (mo/day/year) and this	is record is true to the best of multimordades and balled the
or Well Contractor's License No. 3 9 9 7 7 1 14 1 14 1 15	is record is true to the best of my knowledge and belief. Kansa
or Well Contractor's License No	pieted on (mo/day/yr) . A