USE TYPEWRITER OR BALL ROINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

| (Alida All I | <i>-34</i> | | Te | opeka, Kansas 66620 |
|--|--|--|---|--|
| County | / Fraction | Section number | Township number | Range number |
| Location of well: | 4 PDS SEVASEVASA | 1/4 34 | 125 | s R 16 EW |
| Distance and direction from nearest tow Miles Least reet address of well location if in city: | the Side road. | 3. Owner of well: R.R. or street: City, state, zip code: | esting Sull 1-1-19 Terling Jano | hageo. |
| Locate with "X" in section below: | Sketch map: | · · | Well depth | Public supply Industry Air conditioning Stock Oil field water Other Height: Above or below Surface in. Weight The last of the last |
| . Type ond color of material | k _ | From To | Dia in. to ft. d | epth Wall Thickness: inches or epth gage No. |
| | Sand | 05 | 10. Screen: Manufacturer | Dia |
| The second secon | - Clay. | 5 20 | | ft. and ft. |
| | Grasil | 40 60 | Gravel pack? Size 11. Static water level: ft. below land: | mo./day/yr. |
| | | | 12. Pumping level below to ft. after ft. after Estimated maximum yield 13. Water sample submitted Yes No No 14. Well head completion: | hrs. pumping g.p.m. hrs. pumping g.p.m. g.p.m. |
| | | | 15. Well grouted? With: Neat cement Depth: From ft. t | Bentonite Concrete o ft. |
| | | Ť. | 16. Nearest source of possi ft Direction _ Well disinfected upon comp 17. Pump: | Type // No |
| | | | Manufacturer's name Model number Length of drop pipe | HP Volts |
| | (Use a second sheet if needed) | | Type: Submersible Jet Centrifugal | Turbine Reciprocating Other |
| Elevation: 19. Remarks: pography: Hill Slope | ACT & SECOND SINGE IT HEEGEN | 1 | 20. Water well contractor | s certification: my jurisdiction and this report |
| Upland Valley | the Department of Health and Environment | | Signed Authorized in | epresentative Form WWC-5 |