

1 LOCATION OF WATER WELL: County: Edwards.	Fraction SE 1/4 SE 1/4 NE 1/4	Section Number 34	Township Number T 25 S	Range Number R 16 EW
------------------------------------------------------	-----------------------------------------	-----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?

1 1/2 north 1 1/8 east of Trousdale

2 WATER WELL OWNER: W. Gibson	Mustang Drilling	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : Trousdale	Box 1609	Application Number: T82-573
City, State, ZIP Code :	Great Bend, Ks. 67530	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 12 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 21 ft. below land surface measured on mo/day/yr 11-8-82
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield NA gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 11 in. to 80 ft., and in. to ft.
WELL WATER TO BE USED AS:	
5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot <u>6 Oil field water supply</u> 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No. X; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes HTH No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) Welded
<u>2 PVC</u>	4 ABS	7 Fiberglass Threaded.....
Blank casing diameter 5 in. to 6.0 ft., Dia. in. to ft., Dia. in. to ft.	Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. 25.8		
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel 3 Stainless steel 5 Fiberglass <u>7 PVC</u> 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)			
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped <u>8 Saw cut</u> 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 6.0 ft. to 80 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 1.0 ft. to 80 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 1.0 ft., From ft. to ft., From ft. to ft.	What is the nearest source of possible contamination:			
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage <u>15 Oil well/Gas well</u> 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)				
Direction from well? West		How many feet? 75		

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	4	Sandy top soil			
4	12	Brown clay			
12	22	Gravel			
22	33	Clay			
33	80	Gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-8-82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 12-7-82 under the business name of Rosencrantz-Bemis Ent. , by (signature) <i>Aora Dodson</i>

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T 85
R
16
EW
SEC. 34
SE 1/4
SE 1/4
NE 1/4