[.]. <u></u>	O. O. O.		ATER WELL RE	CORD Form WW		2a-1212 II	D No	T 5		
<b></b>		ATER WELL:	Fraction	NW S	TAT:	ction Numb		ء ا	er ∧	
County: E			SW 1/4	<b>38</b> 1/4 <b>3</b>	1/4	4	т 25	s R 16w	_ <b>(</b> W)	
1			town or city stree	et address of well if le	ocated within c	ity?				
		elpre, Ks.								
<b>—</b>		_		Sterlin				Wilson B #7		
RR#, St. A	Address, B	ox#:Gener			x 1006			Wilson B #7 riculture, Division of Water R	esources	
City, State			e, Ks. 675		Ks. 67124		Application I	Number: 20020134		
3 LOCATE	WELL'S I	LOCATION WITH						n		
AN "X"	IN SECTION	ON BOX:						ft. 3		
<del>-</del> -		<del>Y</del>						day/yr08/12/02		
<b>†</b>	1							hours pumping		
	_ NW	NE	Est. Yield	6.0 gpm: Well w	ater was	ff	t. after	hours pumping	gpm	
	l l		Bore Hole Diar	meter 8 in	. to 9.3		t., and	in. to	ft.	
₩ W	<u> </u>	<u></u> † €	WELL WATER	TO BE USED AS:	5 Public water	supply	8 Air conditioning	11 Injection well		
17 1			1 Domestic		6 Oil field water		9 Dewatering	12 Other (Specify below	w)	
X.	- sw	SE	2 Irrigation	4 Industrial	7 Domestic (lav	m & garden)	10 Monitoring well .			
	!	!!!!	Was a chamical	Magazariological cample	submitted to De	nartmont? V	os No	; If yes, mo/day/yrs sample	waa aub	
<u>                                     </u>	<del>'</del>		mitted	voacteriological sample	s submitted to De		ter Well Disinfected?		was sub-	
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	8 Conci			NTS: Glued Clamped		
1 Stee		3 RMP (S		6 Asbestos-Cemer			low)	·		
2 PVC		4 ABS	• • •	7 Fiberglass						
			in to 73	~						
1	-							or gauge No Sch 40		
1	_			=				- •		
1		OR PERFORA			7 PV			estos-cement		
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel					5 Fiberglass 8 RMP (SR) 6 Concrete tile 9 ABS			11 Other (specify)		
		FORATION OPE			-	-	8 Saw cut	` ' '	-1-1	
	tinuous sl		lill slot	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut			8 Saw cut 11 None (open hole) 9 Drilled holes			
1	vered shu		ey punched	7 To	orch cut		10 Other (specify	)	ft.	
SCREEN	-PERFOR							ft. to		
			From	ft. to		ft., Fro	om	ft. to	ft.	
	<b>GRAVEL</b>	PACK INTERVA	LS: From	20 ft. to	93	ft., Fro	om	ft. to	ft.	
			From	ft. to		ft., Fro	om	ft. to	ft.	
6 GROUT	MATERI	AL: 1 Neat o	ement	2 Cement grout	3 Bento	nite	4 Other			
Grout Int	ervals: F	rom Q	ft. to 20	ft., From		 . to				
What is t	he neares	t source of possi	ble contaminatio	n:		10 Liv	estock pens	14 Abandoned water we	əll	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage			16 Other (specify below)	
1		wer lines 6 Seep	•	9 Feedyard		13 Insecticide storage				
	from well?		•	<u>-</u>			w many feet? 115			
FROM	ТО		LITHOLOGIC L	OG	FROM	ТО	,	GGING INTERVALS		
0	18	top san			· · · · · · ·	-				
18	60	sandy c								
60	93		d gravel							
60	93	عمالت ما	u graver							
	-			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
	<b> </b>									
	ļ					<b></b>				
	<u> </u>		<del></del>							
	ļ					<b></b>				
	ļ									
	<u> </u>								.,	
	ļ									
<u></u>										
								lugged under my jurisdiction a		
								t of my knowledge and belief.	Kansas	
						as complete	d on (mo/day/yr),(	)8/16/02 <b>5</b>		
under the I	business r	ame of Kelly	's Water W	ell Service,	Inc.	by (	(signature) <b>///</b> £	tum Stad		
L			2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2					three copies to Kansas Department of He		

Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.