WATER WELL RECORD		Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL:		Fraction	Section Number Township No. Range Number	
County: Edwards ¼ SW ¼ SW ¼ SW ¼				
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:				
			Latitude: (in decimal degrees)	
5 1/4 South, 3 East of Belpre			Longitude: (in decimal degrees)	
Date Control of the C			Elevation:	
2 WATER WELL OWNER: Roger Grizzell			Collection Method:	
RR#, Street Address, Box #: P. O. Box 527			GPS unit (Make/Model:)	
City, State, ZIP Code : Macksvi		ille. KS 67557	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80 ft.				
	SECTION BOX: Depth(s) Groundwater Encountered (1)			
WELL'S STATIC WATER LEVEL30ft. below land surface measured on mo/day/yr10-12-12				
Pump test data: Well water wasft. after hours pumping				
WNWNE EST. YIELD. N/Agpm. Well water was				
W	W			
Domostic Decodlet Dilfield vector symply Developing Dother (Specify below)				
Improved Industrial Domestic leave & garden Description Wentering well Stock				
Was a chemical/bacteriological sample submitted to Department? Yes No				
S If yes, mo/day/yr sample was submitted				
1 mile Water well disinfected? ✓ Yes □ No				
5 TYPE OF CASING USED: Steel V PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded				
Casing diameter .5 in. to .80 ft., Diameter in. to ft., Diameter ft., Diameter in. to ft.				
Casing height above land surface18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.				
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)				
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)				
SCREEN OR PERFORATION OPENINGS ARE:				
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)				
Louvered shutter				
SCREEN-PERFORATED INTERVALS: From				
GRAVEL PACK INTERVALS: From 80 ft. to20 ft., From ft. to ft.				
From,				
From				
Grout Intervals: From				
What is the nearest source of possible contamination:				
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
Direction from well South Distance from well .100ft				
FROM TO	D LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 3	Top soil			
3 9	Tan clay			
9 34 34 77	Tan sandy clay & fine s			
34 77 77 80	Sand & gravel- med to Tan & yellow clay	ıarge		
77 00	Tan & yellow clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) 10-12-12 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-14-12				
under the business name of Rosencrantz-Bemis by (signature) Source Rosencrantz-Bemis by (signature) Rosencrantz-Bemis Bemis				
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367				
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy				