

*McKinley*

1 LOCATION OF WATER WELL  
 County: Edwards Fraction SE 1/4 SE 1/4 SW 1/4 Section Number 3 Township Number T 25 S Range Number R 17 E/W

Distance and direction from nearest town or city? West 3 1/2 miles - 1/2 W before Street address of well if located within city?

2 WATER WELL OWNER: Stealing Delg Co  
 RR#, St. Address, Box #: Box 129 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Stealing, Kansas 67579 Application Number: 80-33

3 DEPTH OF COMPLETED WELL: 60 ft. Bore Hole Diameter: 9 in. to 60 ft., and in. to ft.  
 Well Water to be used as:  
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well  
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 7 Lawn and garden only 10 Observation well

Well's static water level: 22 ft. below land surface measured on Jan month 7 day 80 year  
 Pump Test Data: None Well water was ft. after hours pumping gpm  
 Est. Yield gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued XX Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 7 Fiberglass Threaded

Blank casing dia: 5 in. to 40 ft. Dia in. to ft. Dia in. to ft.  
 Casing height above land surface: 12 in., weight 278.3 lbs./ft. Wall thickness or gauge No. 265

TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)  
 12 None used (open hole)


Screen or Perforation Openings Are: 1/8  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify)

Screen-Perforation Dia: 5 in. to 60 ft. Dia 5 in. to 40 ft. Dia in. to ft.  
 Screen-Perforated Intervals: From 60 ft. to 40 ft. From ft. to ft. From ft. to ft.  
 Gravel Pack Intervals: From 60 ft. to 30 ft. From ft. to ft. From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grouted Intervals: From 0 ft. to 30 ft. From ft. to ft. From ft. to ft.  
 What is the nearest source of possible contamination: None  
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well  
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well  
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)  
 13 Watertight sewer lines

Direction from well: How many feet? Water Well Disinfected? Yes No ✓  
 Was a chemical/bacteriological sample submitted to Department? Yes No ✓ If yes, date sample was submitted month day year Pump Installed? Yes No ✓  
 If Yes: Pump Manufacturer's name Model No. HP Volts  
 Depth of Pump Intake ft. Pumps Capacity rated at gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on Jan month 7 day 1980 year  
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 389  
 This Water Well Record was completed on Jan month 7 day 1980 year under the business name of Maes Water Well Serv by (signature) Edward Asendall

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG  
0 5 Soil  
5 20 Sandy Clay  
20 30 Clay  
30 60 GRAVEL

ELEVATION:  
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

17

EW

SEC

3

SE 1/4 SE 1/4 SW 1/4