

1 LOCATION OF WATER WELL: County: EDWARDS		Fraction: SE 1/4 SE 1/4 NW 1/4		Section Number: 4	Township Number: T 25 S	Range Number: R 17 E
Distance and direction from nearest town or city street address of well if located within city: LEWIS 1 1/2 S 3 E 1/2 EASTSIDE						
2 WATER WELL OWNER: STERLING DRILLING CO.				WALTER TEICHMAN, HUDSON KS.		
RR#, St. Address, Box #: 129				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: STERLING, KS 67579				Application Number: T82-504		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 60 ft. ELEVATION: 35 ft.				
		Depth(s) Groundwater Encountered 1. 35 ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 26 ft. below land surface measured on mo/day/yr 9.23.82				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm; Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 7 7/8 in. to 60 ft., and in. to ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well				
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes No				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped						
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded						
7 Fiberglass Threaded						
Blank casing diameter 5 in. to 40 ft., Dia in. to ft., Dia in. to ft.						
Casing height above land surface 12 in., weight 265 lbs./ft. Wall thickness or gauge No. 214						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement						
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)						
12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: 1/8						
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes						
10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 40 ft. to 60 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 30 ft. to 60 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination: NONE						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)						
13 Insecticide storage						
Direction from well? How many feet?						
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG	
0	8	SAND				
8	20	SANDY CLAY				
20	30	GRAVEL				
30	35	CLAY				
35	60	GRAVEL				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9.23.82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 389 This Water Well Record was completed on (mo/day/yr) 10.6.82 under the business name of REISER WATER WELL SERV. INC. by (signature) Rudolph Reiser						
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.						