

Carroll #1

| | | | | |
|--------------------------|-----------------------------|----------------|-----------------|----------------|
| 1 LOCATION OF WATER WELL | Fraction | Section Number | Township Number | Range Number |
| County: <u>Edwards</u> | <u>NE 1/4 SE 1/4 NW 1/4</u> | <u>33</u> | <u>T 25 S</u> | <u>R 17 EW</u> |

Distance and direction from nearest town or city? Lewis, Ks. 2 1/2 miles south 2 1/2 miles east.

Street address of well if located within city?

2 WATER WELL OWNER: Hoskey, Dolg
 RR#, St. Address, Box #: 800, BITTING Bldg.
 City, State, ZIP Code: WICHITA KANSAS, 67202

Board of Agriculture, Division of Water Resources
 Application Number: T 80-6

3 DEPTH OF COMPLETED WELL: 60 ft. Bore Hole Diameter: 9 in. to 60 ft., and ... in. to ... ft.

Well Water to be used as:

| | | | | |
|--------------|--------------|---------------------------------|---------------------|--------------------------|
| 1 Domestic | 3 Feedlot | 6 <u>Oil field water supply</u> | 8 Air conditioning | 11 Injection well |
| 2 Irrigation | 4 Industrial | 7 Lawn and garden only | 9 Dewatering | 12 Other (Specify below) |
| | | | 10 Observation well | |

Well's static water level: 1.8 ft. below land surface measured on December month 31 day 1979 year

Pump Test Data None: Well water was ... ft. after ... hours pumping ... gpm

Est. Yield gpm: Well water was ... ft. after ... hours pumping ... gpm

4 TYPE OF BLANK CASING USED:

| | | | | |
|--------------|------------|-------------------|-------------------------|--|
| 1 Steel | 3 RMP (SR) | 5 Wrought iron | 8 Concrete tile | Casing Joints: <u>Glued</u> XXX Clamped |
| 2 <u>PVC</u> | 4 ABS | 6 Asbestos-Cement | 9 Other (specify below) | Welded |
| | | | 7 Fiberglass | Threaded |

Blank casing dia. 5 in. to 40 ft. Dia. ... in. to ... ft. Dia. ... in. to ... ft.

Casing height above land surface: 12 in., weight 298.3 lbs./ft. Wall thickness or gauge No. 265

TYPE OF SCREEN OR PERFORATION MATERIAL:

| | | | | |
|---------|--------------------|-----------------|--------------|--------------------------|
| 1 Steel | 3 Stainless steel | 5 Fiberglass | 7 <u>PVC</u> | 10 Asbestos-cement |
| 2 Brass | 4 Galvanized steel | 6 Concrete tile | 8 RMP (SR) | 11 Other (specify) |
| | | | 9 ABS | 12 None used (open hole) |

Screen or Perforation Openings Are: 1/8

| | | | | |
|--------------------|---------------|------------------|--------------------|---------------------|
| 1 Continuous slot | 3 Mill slot | 5 Gauzed wrapped | 8 <u>Saw cut</u> | 11 None (open hole) |
| 2 Louvered shutter | 4 Key punched | 6 Wire wrapped | 9 Drilled holes | |
| | | | 10 Other (specify) | |

Screen-Perforation Dia. 5 in. to 40 ft. Dia. 5 in. to 60 ft. Dia. ... in. to ... ft.

Screen-Perforated Intervals: From 40 ft. to 60 ft., From ... ft. to ... ft., From ... ft. to ... ft.

Gravel Pack Intervals: From 60 ft. to 30 ft., From ... ft. to ... ft., From ... ft. to ... ft.

5 GROUT MATERIAL:

| | | | |
|---------------|----------------|--------------------|---------|
| 1 Neat cement | 2 Cement grout | 3 <u>Bentonite</u> | 4 Other |
|---------------|----------------|--------------------|---------|

Grouted Intervals: From 0 ft. to 30 ft., From ... ft. to ... ft., From ... ft. to ... ft.

What is the nearest source of possible contamination: None

| | | | | |
|-----------------|---------------|------------------|---------------------------|--------------------------|
| 1 Septic tank | 4 Cess pool | 7 Sewage lagoon | 10 Fuel storage | 14 Abandoned water well |
| 2 Sewer lines | 5 Seepage pit | 8 Feed yard | 11 Fertilizer storage | 15 Oil well/Gas well |
| 3 Lateral lines | 6 Pit privy | 9 Livestock pens | 12 Insecticide storage | 16 Other (specify below) |
| | | | 13 Watertight sewer lines | |

Direction from well ... How many feet ... ? Water Well Disinfected? Yes ... No

Was a chemical/bacteriological sample submitted to Department? Yes ... No If yes, date sample was submitted ... month ... day ... year: Pump Installed? Yes ... No

If Yes: Pump Manufacturer's name ... Model No. ... HP ... Volts ...

Depth of Pump Intake ... ft. Pumps Capacity rated at ... gal./min.

Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on December month 31 day 1979 year

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 412 389

This Water Well Record was completed on December month 31 day 1979 year under the business name of Myers Water Well Serv. by (signature) Lloyd Rosendall

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

| FROM | TO | LITHOLOGIC LOG | FROM | TO | LITHOLOGIC LOG |
|-----------|-----------|-------------------|------|----|----------------|
| <u>0</u> | <u>5</u> | <u>Soil</u> | | | |
| <u>5</u> | <u>20</u> | <u>Sandy Clay</u> | | | |
| <u>20</u> | <u>25</u> | <u>Clay</u> | | | |
| <u>25</u> | <u>60</u> | <u>Gravel</u> | | | |

ELEVATION:

Depth(s) Groundwater Encountered 1. ... ft. 2. ... ft. 3. ... ft. 4. ... ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
SEC
NE 1/4 SE 1/4 NW 1/4