		ATER WELL RECORD F	orm WWC-5 KS	SA 82a-1212			
	LOCATION OF WATER WELL Fraction punty: Edwards 14		Section No.	1	Range Num		
Distance and direction from	negreet town or site?	1 w, 1345, 14 E	Ctrost		⊋ <u>5</u> s	<u> 4 /8</u>	.≇/W
from Luis			Street address of	well if located within	n city?	- Control of the Cont	
2 WATER WELL OWNER	•	1					
RR#, St. Address, Box #				Board	d of Agriculture, D	ivision of Water F	Resource
City, State, ZIP Code	: alwis, Ks	. U7552	-	Applic	cation Number:	32358	
	:D WELL:173f	t. Bore Hole Diameter	သည်in. to		d	in. to	ft
Well Water to be used as:	5 Public wat	,,,,	8 Air conditioning		11 Injection well		
1 Domestic 3 Feedlo			9 Dewatering		12 Other (Specify	below)	
2 rrigation 4 Industr	nal 7 Lawn and	garden only	10 Observation we	41			
Well's static water level	ವ.ತ. ಮ ft. below	land surface measured on .	Ia	month	⊋;Qdi	ay	year
Pump Test Data Est. Yield 900	: Well water wa	s(u.Dft. after		hours pumpi	ing 8 5	<u>Q</u>	gpm
		* * * * * * * * * * * * * * * * * * * *		hours pump	ing 90	Clamped .	gpm
4 TYPE OF BLANK CASI		5 Wrought iron		Cas	ing Joints: Glued	\dots . Clamped .	
⊘ Steel	3 RMP (SR)	6 Asbestos-Cement	- · · · · · · · · · · · · · · · · · · ·	(Delow)	Welde	d	
2 PVC	4 ABS	7 Fiberglass		• • • • • • • • • • • • • • • • •	. Threa	ded	
Blank casing dia I	in. to	≾ ft., Dia	in. to	ft., Dia		. in. to	ft
Casing height above land s	urface	3ft., Dia		lbs./ft. Wall-thick	ness or gauge N		
TYPE OF SCREEN OR PE	REPORATION MATERIAL:		7 PVC		Asbestos-cemer		
(CSteel		5 Fiberglass	8 RMP (SR)	11	Other (specify) .		
2 Brass	4 Galvanized steel		9 ABS		None used (ope	n hole)	
Screen or Perforation Open	ings Are:	5 Gauzed	wrapped	8 Saw cut		11 None (open h	nole)
	Continuous slot 3 Mill slot		apped	9 Drilled ho	oles		
2)Louvered shutter	4 Key punched	7 Torch o		10 Other (sp	pecify)		
Screen-Perforation Dia	. <i>J.Q</i> in. to	.7.3 ft., Dia	in. to	ft., Dia	a	in to	ft.
Screen-Perforated Intervals:	From	ft. to	3 ft., Fro	om	ft. to		ft.
	From		ft., Fro	om	ft. to		ft.
Gravel Pack Intervals:	From		¹ 5 ft., Fro	om	ft. to		.ft .
	From	ft. to		om			ft.
5 GROUT MATERIAL:	Neat cement		3 Bentonite	4 Other			
Grouted Intervals: From	ft. to	.λ.Ω π., From	ft. to	ft., Fr	rom	ft. to	<i>.f</i> t.
What is the nearest source	•	;	10	Fuel storage	14 Ab	andoned water we	eli
① Septic tank	4 Cess pool	7 Sewage lagoo	n 11	Fertilizer storage	15 Oil	well/Gas well	
2 Sewer lines	5 Seepage pit	8 Feed yard	12	Insecticide storage	16 Oth	ner (specify below	<i>(</i>)
3 Lateral lines	6 Pit privy	9 Livestock pens	13'	Watertight sewer lin	nes		
Direction from well	<i>M</i>	ow many feet/4	1	Water Well Disinfect	ted? Yes. H.T.	HNo	
Was a chemical/bacteriologi	cal sample submitted to [Department? Yesdav		No		: If yes, date	sample
If Yes: Pump Manufacturer's	s name. Western	Land Rolles.	Model No.3 <i>s1aq e.</i>	. <i>ID.K.B</i> HP	. 8 .0	Volts	
Depth of Pump Intake	. G C)	ft.	Pumps Capacity rat	ed at			
Type of pump:		②Turbine 3	Jet 4	Centrifugal	5 Reciprocating	6 Othe	gal./min. er
6 CONTRACTOR'S OR LA	INDOWNER'S CERTIFIC	ATION: This water well was	constructed, (2	2) reconstructed, or	(3) plugged unde	er my jurisdiction	and was
completed on	<i></i> /	month	da	ıy 8. <i>1</i>			vear
and this record is true to the	e best of my knowledge a	ind belief. Kansas Water We	Il Contractor's Licer	nse No / 3 4/	,		
This Water Well Record was	s completed on		nth	day <u>.</u>	. 8. 1	. year under the	business
name of Kosencro	anty - Bemi	٥ <u>by</u>	(signature)		Loon	•	
7 LOCATE WELL'S LOCA	TION JFROM TO	LITHOLOGIC		FROM TO	LIT	HOLOGIC LOG	
─ WITH AN "X" IN SECTI BOX:	O $ O $ $ 2 $	Sandy top.	sou	130 135	San	d rock	
	2 8	tine son	<u>d</u>				
N .	8 20	Sandy Cl	<u> </u>				
	ao 23	1 /	4 .				
	23 24	1 0 - 1 1 - 1					
X NE			avel				
' 7	1 24 44	Sand & on					
W 1 1	E 24 44						
' 7	44 45	Clay	avel				
- SW SE	44 45 45 7	Sand agr	avel				
W 1 1	44 44 45 7: 73 9	Slay & Glay	A				
- SW SE	44 44 45 73 73 9 93 94	Sand & grass Sand & grass Sand & grass	A				
	44 44 45 73 73 9 93 94 95 12	Sclay Sand & gra Sand & gra Clay Clay Clay	avel	ft //II		at if needed	
ELEVATION: Depth(s) Groundwater Enco INSTRUCTIONS: Use typew	45 73 9 93 94 95 120 untered 133	Sand & grass Sand & grass Sand & grass	ft. 4	blanks undeding or	se a second shee	annuara Canada	on three