Distance and direction from neares 4 E. 3 S. OF KINSLEY, KANS.							
WATER WELL OWNER: STROSSB RR#, St. Address, Box # : RT. 1	ERG, RAY 028	Boar	d of Agric	culture, Di	vision of	Water Resour	ces
City, State, ZIP code : KINSLEY	, KS 67547-	Аррі	ication No	ımber:			
OCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	; 4 DEPTH OF COMPLET Depth(s) Groundw			59 ft.	2.	ft. 3.	 f
: NW:	WELL'S STATIC WATE	R LEVEL 39 ft. be tdata: Well water w	low land s	surface mea ft. after	sured on hou	mo/day/yr 8 rs pumping	/15/9
	Estimated Yield	gp m: Well water	was	ft. after	hou	rs pumping	ĺ
#	E : Bore Hole Diameter	in. to	ft.	., and	in. to	ft.	
SW SEX	, WELL WATER TO BE U	SED AS: 01 DOMESTIC					
	; Was a chemical/bac ! If ves. mo/dav/vr	teriological sample	submitted	to departe	ent? No ; Water w	ell disinfect	ed? '
YPE OF BLANK CASING USED: 01 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED	JOINTS: THREADED in. to ft	., Dia	in. to	ft		
YPE OF BLANK CASING USED: O1 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE	L CASING n. to ft., Dia -36 in., weight RIAL: 04 GALVANIZED : 04 KEY PUNCHED	JOINTS: THREADED in. to ft lbs/ft. Wall t	., Dia hickness c	in. to or gauge No ft.	ft	•	
YPE OF BLANK CASING USED: O1 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED : 04 KEY PUNCHED From //- ft. to From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t	., Dia hickness c 	in. to or gauge No ft.	ft	•	
YPE OF BLANK CASING USED: 01 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE CREEN PERFORATED INTERVALS:	L CASING n. to ft., Dia -36 in., weight RIAL: 04 GALVANIZED : 04 KEY PUNCHED From ft. to From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t ft., From NA ft., From	., Dia hickness c ft. to ft. to ft. to	in. to or gauge No ft. ft.	ft	•	
YPE OF BLANK CASING USED: 01 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE CREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: ROUT MATERIAL 03 BENTONITE rout Intervals: From 3 ft. to hat is the nearest source of poss	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED : 04 KEY PUNCHED From ft. to From ft. to From ft. to From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t ft., From ft., From ft., From ft., From	., Dia hickness c ft. to ft. to ft. to	in. to or gauge No ft. ft. ft. ft.	ft	•	
YPE OF BLANK CASING USED: 01 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE CREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: ROUT MATERIAL 03 BENTONITE rout Intervals: From 3 ft. to hat is the nearest source of possi irection from well? WEST	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED : 04 KEY PUNCHED From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t ft., From ft., From ft., From ft., From	., Dia hickness c	in. to or gauge No ft. ft. ft. ft.	ft.	low many feet	?
YPE OF BLANK CASING USED: 01 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE CREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: COUT MATERIAL 03 BENTONITE COUT Intervals: From 3 ft. to nat is the nearest source of possi- irection from well? WEST	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED : 04 KEY PUNCHED From ft. to From ft. to From ft. to From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t ft., From ft., From ft., From ft., From	., Dia hickness of ft. to ft. to ft. to ft. to	in. to or gauge No. ft. ft. ft. ft.	ft.		?
PE OF BLANK CASING USED: 01 STEE ank casing diameter is using height above land surface of SCREEN OR PERFORATION MATERIES. REEN OR PERFORATION OPENINGS ARE REEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: OUT MATERIAL 03 BENTONITE out Intervals: From 3 ft. to at is the nearest source of possivection from well? NEST	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED : 04 KEY PUNCHED From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t ft., From ft., From ft., From ft., From ft., From	., Dia hickness c ft. to ft. to ft. to	in. to or gauge No. ft. ft. ft. ft.	ft.	dow many feet	?
YPE OF BLANK CASING USED: 01 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE CREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: COUT MATERIAL 03 BENTONITE COUT Intervals: From 3 ft. to nat is the nearest source of possi- rection from well? WEST	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED : 04 KEY PUNCHED From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t ft., From ft., From ft., From ft., From ft., From	., Dia hickness c ft. to ft. to ft. to	in. to or gauge No. ft. ft. ft. ft.	ft.	dow many feet	?
YPE OF BLANK CASING USED: 01 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE CREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: ROUT MATERIAL 03 BENTONITE rout Intervals: From 3 ft. to hat is the nearest source of possi irection from well? WEST	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED : 04 KEY PUNCHED From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t ft., From ft., From ft., From ft., From ft., From	., Dia hickness c ft. to ft. to ft. to	in. to or gauge No. ft. ft. ft. ft.	ft.	dow many feet	?
YPE OF BLANK CASING USED: 01 STEE lank casing diameter i asing height above land surface YPE OF SCREEN OR PERFORATION MATE CREEN OR PERFORATION OPENINGS ARE CREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: ROUT MATERIAL 03 BENTONITE rout Intervals: From 3 ft. to hat is the nearest source of possi irection from well? WEST	L CASING n. to ft., Dia -36 in., weight RIAL: 04 SALVANIZED : 04 KEY PUNCHED From ft. to	JOINTS: THREADED in. to ft lbs/ft. Wall t ft., From ft., From ft., From ft., From ft., From	., Dia hickness c ft. to ft. to ft. to	in. to or gauge No. ft. ft. ft. ft.	ft.	dow many feet	?