## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

|  |  | j               |         |   |   |  |                               |  |  |
|--|--|-----------------|---------|---|---|--|-------------------------------|--|--|
|  | County                                   | Fraction C      | J       | Section                                       | number  | Township number  | Range number                  |  |  |
| 1. Location of well:   | Edwards                                  | 1/4 1/4         | 1/4     | (   | 24  | 1 25 s   | R /8                          | E/W                                    |  |
| 2. Distance and direction from nearest town or city:  3. Ow  Street address of well location if in city: |  |                 |         |   | ner of well: A Marlin Butler r street: 425 South Sylamors St. |  |                               |  |  |
|  |  |                 | City, s | tote, zip o                                   | code:   |  | Greenburg                     | Ks.                                    |  |
| 4. Locate with "X" i   |  | Sketch map:     |         |   |   | 6. Bore hole dia. 27 in Well depth 102ft.  |                               | -75                                    |  |
| NE   |  |                 |         |   |   | 7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary  |                               |  |  |
| E - SE   |  |                 |         |   |   | 8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other                           |                               |  |  |
| S S  |  |                 |         |   |   | 9. Casing: Material STCC   Height Above or below           Threaded Welded   Surface in.           RMP PVC   Weight   lbs./ft. |                               |  |  |
| I <del></del> 1 M  | ile ———————————————————————————————————— |                 |         | T   |   | Dia. Le in. ta 202 ft. dep   | '                             | s or                                   |  |
| 5. Type and color of material  |  |                 |         |   | То  | Dia in. to ft. depth gage No   |                               |  |  |
| Sandy Top Soil   |  |                 |         |   | 2   | Type Steel Dia. 16   |                               |  |  |
| Clay   |  |                 |         |   | 13  | Set between  |                               |  |  |
| Fine Sand  |  |                 |         | /3  | 16  | ft. andft.  Gravel pack?Size range of material 1/2 3/43/8  |                               |  |  |
| Clay   |  |                 |         | 16  | 23  | 11. Static water level: mo./day/yr   |                               |  |  |
| Sand. E Lavel  |  |                 |         | 23  | 27  | 12. Pumping level below land   | surfaces: /0/0                |  |  |
| Clay   |  |                 |         | 27  | .33   | 26 ft. after hrs. pumping g.p.m g.p.m.   |                               |  |  |
| Sand & Gravel Lond clean   |  |                 |         | 20  | 85  | Estimated maximum yield  |                               |  |  |
| Clay   |  |                 |         | 85  | 85%   |  | Date                          |  |  |
| 00 8 01 1 00 01 1 00h  |  |                 |         |   |   | 1 011  |                               |  |  |
| Sunn   | <u>E ZNavel</u>                          | Mod.            | Man.    | 855   | 103   | 15. Well grouted?  |                               | •                                      |  |
| Way  |  |                 |         | 103   | 106   | With: Neat cement Bentonite Concrete<br>Depth: From ft. to C ft.   |                               |  |  |
|  |  |                 |         |   |   | 16. Nearest source of possible contamination: ft Direction Type  |                               |  |  |
|  |  |                 |         | <u>                                      </u> |   | Well disinfected upon comple   |                               | _No                                    |  |
|  |  |                 |         |   |   | 17. Pump:<br>Manufacturer's name <i>W</i>  | Not installed                 | ~                                      |  |
|  |  |                 |         |   |   | Model number 5 Cm (2   |                               | _                                      |  |
|  |  |                 |         |   |   | Length of drop pipe 25   | _ ft. capacity <u> 000</u> g. | .р.т. 🗦                                |  |
|  |  |                 |         |   |   | Submersible  | Turbine                       |  |  |
|  | (Use a second sh                         | neet if needed) |         |   |   | Jet<br>Centrifugal   | Reciprocat                    | ting S                                 |  |
| 18. Elevation: 19. Remarks:  |  |                 |         |   | L   | 20. Water well contractor's o  |                               | ─ <b> </b> ^                           |  |
|  |  |                 |         |   |   | This well was drilled under m  | y jurisdiction and this rep   | port                                   |  |
| Тородгарһу:  |  |                 |         |   |   | is true to the best of my know   | ledge and belief.             | 34 51                                  |  |
| — HII _  |  |                 |         |   |   | Business name, License No.   |                               |  |  |
| Slope  |  |                 |         |   |   | Address Ofeat B  | and Ks.                       | 27-12                                  |  |
| Uplana<br>Valley   |  |                 |         |   |   | Signed Zala Authorized rep   | resentative Date              | *\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |  |