

1 LOCATION OF WATER WELL	Fraction	Section Number	Township Number	Range Number
County: <u>Edwards</u>	<u>NE 1/4 NE 1/4 SW 1/4</u>	<u>25</u>	<u>T 25 S</u>	<u>R 18 EW</u>

Distance and direction from nearest town or city? 6 South, 1/2 East of Lewis
 Street address of well if located within city?

2 WATER WELL OWNER: Warren Hornbaker
 RR#, St. Address, Box # :
 City, State, ZIP Code : Lewis, Ks. 67552
 Board of Agriculture, Division of Water Resources
 Application Number:

3 DEPTH OF COMPLETED WELL: 7.0 ft. Bore Hole Diameter: 1.1 in. to 7.0 ft., and in. to ft.
 Well Water to be used as:
 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)
 10 Observation well
 Well's static water level 2.5 ft. below land surface measured on 11 month 12 day 80 year
 Pump Test Data : Well water was ft. after hours pumping gpm
 Est. Yield NA gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 4 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia 5 in. to 5.0 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. 258
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia 5 in. to 7.0 ft., Dia in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From 5.0 ft. to 7.0 ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From 1.0 ft. to 7.0 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 0 ft. to 1.0 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well West How many feet 1500 ? Water Well Disinfected? Yes HTH No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted 11 month 12 day 80 year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name Red Jacket Model No. 9BC HP 50 Volts 230
 Depth of Pump Intake 6.3 ft. Pumps Capacity rated at 18 gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 11 month 18 day 80 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134
 This Water Well Record was completed on 12 month 18 day 80 year under the business name of Rosencrantz-Bemis by (signature) Rosa Dodson

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	2	Top sandy soil		
	2	6	Brown clay			
	6	21	Brown clay and fine sand mixed			
	21	70	Sand and gravel with some clay mixed			

ELEVATION:
 Depth(s) Groundwater Encountered 1.25 ft. 2 ft. 3 ft. 4 ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
25
R
18
EWD
SEC
AS
NE 1/4
NE 1/4
SW 1/4