

## WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number		Range Number																	
COUNTY: EDWARDS		NE 1/4 NE 1/4 NE 1/4	35		7 25 S		R 18 W																	
Distance and direction from nearest town or city street address of well if located within city?																								
1/2 MILE NORTH, 1/2 MILE EAST, 1 MILE NORTH OF CENTERVIEW																								
2 WATER WELL OWNER:		WILSON, CHADD																						
RR#, St. Address, Box # :		RR2 BOX 63		Board of Agriculture, Division of Water Resources																				
City, State, ZIP code :		LEWIS, KS 67552-		Application Number:																				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL 91 ELEVATION: 0																					
<table><tr><td colspan="4">X</td></tr><tr><td>NW</td><td colspan="2">NE</td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td>SW</td><td colspan="2">SE</td><td></td></tr></table>			X				NW	NE							SW	SE			Depth(s) Groundwater Encountered 1. 47 ft. 2. 0 ft. 3. 0 ft.					
			X																					
			NW	NE																				
			SW	SE																				
WELL'S STATIC WATER LEVEL 47 ft. below land surface measured on mo/day/yr 11/10/01																								
Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm																								
Estimated Yield 0 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm																								
Bore Hole Diameter 8.75 in. to 91 ft., and in. to 0 ft.																								
WELL WATER TO BE USED AS: LIVESTOCK																								
Was a chemical/bacteriological sample submitted to department? No ;																								
If yes, mo/day/yr sample was submitted Water well disinfected? Yes																								
5 TYPE OF BLANK CASING USED: PVC CASING JOINTS: GLUED																								
Blank casing diameter 5 in. to 81 ft., Dia in. to 0 ft., Dia in. to 0 ft.																								
Casing height above land surface 12 in., weight 0 lbs/ft. Wall thickness or gauge No. 26																								
TYPE OF SCREEN OR PERFORATION MATERIAL: PVC																								
SCREEN OR PERFORATION OPENINGS ARE: SAW CUT																								
SCREEN PERFORATED INTERVALS:																								
From 81 ft. to 91 ft., From 0 ft. to 0 ft.																								
From 0 ft. to 0 ft., From 0 ft. to 0 ft.																								
GRAVEL PACK INTERVALS:																								
From 23 ft. to 91 ft., From 0 ft. to 0 ft.																								
From 0 ft. to 0 ft., From 0 ft. to 0 ft.																								
6 GROUT MATERIAL BENTONITE																								
Grout intervals: From 1 ft. to 23 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.																								
What is the nearest source of possible contamination: SEPTIC TANK																								
Direction from well? EAST How many feet? 200																								
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS																								
0 7 SILT AND SAND																								
7 39 TAN CLAY																								
39 50 SAND GRAVEL																								
50 66 TAN CLAY																								
66 89 SAND AND GRAVEL																								
89 91 TAN CLAY																								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 11/11/01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 653 This Water Well Record was completed on (mo/day/yr) 11/21/01 under the business name of DAN HAYSE WATER WELL SVC. by (signature) Dan Haysa																								