		RECORD	FORIII W WC.				r Resources; App. No.		
1 LOCATION OF WATER WELL: County: Edwards			Fraction SW 1/4 N		Section N 5	umber	Township Number T 25 S	Range Number R 18W E/W	
Distar	nce and dir	rds rection from nearest town or ci	ty street address of w	ell if (	Global Po	lobal Positioning Systems (decimal degrees, min. of 4 digit			
locate	d within c	ity?	,		Latitude:				
1/4S, 3W, 1S of Lewis, KS						Longitude:			
2 WATER WELL OWNER: Joann Hays						Elevation:			
		ss, Box # : 630 Green			Elevation:				
		Code : Atchison,			Datum: Data Collection Method:			1. 1.	
							Method:		
	ATE WEI	LL'S 4 DEPTH OF COME	PLETED WELL	08	• • • • • • • • • • • • • • • • • • • •	ft.			
	ATION								
	WITH AN "X" IN SECTION BOX:  N  Pump test data: Well water was.  Est. Yield50gpm: Well water was								
	NE -	WELL WATER TO B	BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well edlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
w x		2 Irrigation 4 Ind					itoring well		
SW	SE -	Was a chemical/bacter Sample was submitted	iological sample subr	nitted to D Water	epartmen well disi	t? Yes. nfected?_	; <u>Yes</u> No	If yes, mo/day/yrs	
5 TYPE	S OF CAS	ING USED: 5 Wrought 1	Iron 8 Conc	crete tile		CASINO	G IOINTS: Glued	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
2 PVC4 ABS7 FiberglassThreadedBlank casing diameter5in. to60ft., Diameterin. toft., Diameterin. toCasing height above land surface12in., Weight2.8lbs./ft.Wall thickness or guage No. Sch. 40									
Casing n	eigni abov	e land surface12 NOR PERFORATION MATE	in., weightه	,.8lt	os./ft.	Wall thic	kness or guage No. 3	¢n. 40	
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN	I-PERFOR	RATED INTERVALS: From	60 ft to	80	ft	From	ft to	ft	
From									
GRAVEL PACK INTERVALS: From 20									
,	GIGIVEL						ft. to		
		1 Ioin.				110111			
6 GROU	JT MATE	ERIAL: 1 Neat cement 2	Cement grout 3 Be	ntonite	4 Other				
Grout Int								ft. toft.	
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft., From ft. to ft. to ft., From									
	Septic tank			10 Livestock pens 13 Insecticide Storage 16 C				16 Other (specify	
	Sewer lines							below)	
		sewer lines 6 Seepage pit					l well/gas well		
	from wel		) Toody and	12 Fertilize How many	feet?	35	1 Well gas Well		
FROM	TO	LITHOLOGIC		FROM	TO		PLUGGING INTE	RVAIS	
0	10		200	1 KOW	10	Have		71. 7 1 11.0	
		top sand				пауз	trust		
10	35	_clay	1 - L - L - L - L - L - L - L - L - L -		-	C+7	dn. D 111 0		
35	80	sand and gravel c	lay bottom				ing Drilling Co	ompany	
							Box 1006		
						Pratt	KS 67124		
7 CONT	RACTOR	R'S OR LANDOWNER'S CE	RTIFICATION: T	his water v	well was 1	1) constr	ucted, (2) reconstructe	ed, or (3) plugged	
under my	jurisdicti	R'S OR LANDOWNER'S CE on and was completed on (mo/	day/year) .11/28/0	06 and	this recor	d is true t	o the best of my know	ledge and belief.	
Kansas V	Vater Well	Contractor's License No.	186 This Water	Well Reco	ord was c	ompleted	on (mo/day/year)!	1/29/06	
under the	business	name of Kelly's Water 1	Well Service,	Inc. by	(signatu	re)	thum Ah	md	
INSTRUC	TIONS: Us	e typewriter or ball point pen. PLEA	SE PRESS FIRMLY and F	PRINT clearly	y. Please fi	ll in blanks	, underline or circle the co	rrect answers. Send tor	
three copie	s to Kansas I	Department of Health and Environmen	nt, Bureau of Water, Geolo	ogy Section,	1000 SW Ja	ckson St., S	Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-55	kdheke cov	one to WATER WELL OWN waterwell/index.html.	ER and retain one fo	or your rec	ords. Fe	e of \$5.0	00 for each constructed	well. Visit us at	
http://www	.Kuncks.gov/	water well/illidex.iidlii.							

20060410