WATE	R WELI	RECORD	Form WWC-5		Division of Wate	r Resources; App. No.		
		F WATER WELL:	Fraction			Township Number		
	nty: Edw		NW 1/4 SW 1/4 SW		31	T 25 S	R 18 K/W	
		rection from nearest town or cit	y street address of well	- 1	Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude:			
1	located within city? 4½ West, 1½ North of Centerview					Longitude:		
2 WA	2 WATER WELL OWNER: Marlin Butler					Elevation:		
		ss, Box # : RR 2 Box 6			Datum:			
City	, State, ZIP	Code : Lewis, Ks.	67552	4.00	Data Collection 1	Method:		
	3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
	CATION	TY D 4() C 1 4400	F.,		6 (2)	Θ (2)	Δ	
	VITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SEC	N N		Well water was					
			: Well water was					
N	WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 12 Other (Specify below							
w			llot 6 Oil field w	ater su	pply 9 Dew	vatering 12 Ot	her (Specify below)	
		2 Irrigation 4 Indu	ustrial 7 Domestic	(lawn &	x garden) 10 Mor	iitoring well		
X -S'	Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs							
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Sample was submitted							
S								
5 TYP	E OF CAS	ING USED: 5 Wrought I	ron 8 Concre	te tile	CASING	G JOINTS: Glued	X Clamped	
1	Steel	3 RMP (SR) 6 Asbestos-	Cement 9 Other (s	specify	below)			
2	PVC	4 ABS 7 Fiberglass eter 5 in. to 100	6 Diameter			Threaded	i	
Blank c	asing diam	e land surface 24	in Weight SDR-	1 26	n. to II., lbe /ft Wall thic	Phase or guage No	in. tott.	
Casing height above land surface24								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From. 120 ft. to20 ft., From ft. to ft.								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug								
Grout I	ntervals:	From ft. to	ft., From		ft. to f	t., From 20	ft. toQft.	
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 <u>Livestock pens</u> 13 Insecticide storage 16 Other (specify								
	Sewer line			Fuel st		oandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well Direction from well? Northwest How many feet?								
FROM		LITHOLOGIC		FROM		PLUGGING INT		
0	16	Clay						
16	73	Sand & gravel med, l	loose,coarse					
73	120	Medimum sand & grave	el with few					
		clay balls		to the land to the control of the co				
-	-						RAIL IV. C. V.	
		P AND THE PARTY OF						
******		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1				and the second s		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)3-17-09 and this record is true to the best of my knowledge and belief.								
under my jurisdiction and was completed on (mo/day/year)3-1/-09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of Rosencrantz- Bemis by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone								
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								