WATER WELL RECORD	Form W	WC-5	Di	vision of Water	r Resou. App. No	3326	
1 LOCATION OF WATER WELL:	Fraction				Township No.	Range Number	
County: Edwards		1/4 NE 1/4		3	T 25 S	R 18 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)			
1 1/2 South, 1 1/4 West of Lewis				Longitude: (in decimal degrees) Elevation:			
			Datum	Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Mary Tiemann			Collec	Collection Method:			
RR#, Street Address, Box #: 306 W Avenue B				GPS unit (Make/Model:)			
City, State, ZIP Code : Lewis, KS 67552				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF C							
SECTION BOX: Depth(s) Ground							
	WELL'S STATIC WATER LEVEL. 56						
' FOT WILLD OF	FOT MILL D 000 Well						
NW EST. YIELD. 909gpm. Well water was							
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
Water went disinfected: Ly 1 es 110							
5 TYPE OF CASING USED: Steel PVC Other							
Casing diameter 16 in. to 135 ft., Diameter in. to in.							
Casing height above land surface. 18 in., Weight Sch 40 lbs./ft., Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From 132 ft. to 75 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From135 ft. to20 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None Direction from well							
Direction from well		FROM				GGING INTERVALS	
FROM TO LITHOLOG	IC LOU	99	TO 104		avel- fine to small		
13 18 Sandy tan clay		104	115		evel- small, tight		
18 29 Sand		115	119.5		cemented sand		
29 60 Sand & gravel- small to	med	119.5	122	Sand & gra			
60 69 Fine sand		122 123	123		cemented sand		
	Sand & gravel- med, tight		132	Sand & gra	avel- small w/ me	ed rock	
83 84.5 Tan clay			135	Fine sand			
84.5 86 Very hard cemented sand							
86 93 Sand & gravel- small							
93 99 Tan clay & claiche 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .4-1-13							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 4-4-13							
under the business name ofRosencrant	z- Bemis	valor W CII I	bv (s	ignature)			
INSTRUCTIONS: Use ty pewriter or ball point pen	PLEASE PRESS FIRMLY	and <i>PRINT</i> cl	early. Plea	ase fill in blanks	and check the correct	answers. Send three copies	
(white, blue, pink) to Kansas Depar tment of Health	and E nvironment, Bureau	of Water, Geo	ogy Section	on, 1000 SW Jac	ckson St., Suite 420, 7	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html .							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							