WATE	R WE	LL RECORD	Form W	WC-5	Divisi	on of Water	Resources App. No	o. [12,119		
		OF WATER WELL:	Fraction	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Section 1	Number	Township No.	Range Number		
				1/4 SW 1/4			T 25 S	R 18 □E [₹W	
		Address of Well Location; i		System (GPS) in						
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)				
3/4 North, 2 1/4 West of Centerview						Longitude: (in decimal degrees)				
						Elevation:				
2 WATER WELL OWNER: L & M Holdings, LLC						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
RR#, Street Address, Box #: 2360 P Road					GPS	GPS unit (Make/Model:)				
City, State, ZIP Code : Lewis, KS 67552						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
		EC#13; 14	.5 07 552					5-15 m, □ >15 m		
3 LOCATE WELL										
	HAN "X" IN 4 DEPTH OF COMPLETED WELL 165 ft.								_	
SEC	CTION BOX: Depth(s) Groundwater Encountered (1)								. ft.	
	1/4	WELL'S STATI	C WATER LEVEL	117	below land	d surface n	neasured on mo/da	ay/yr4-15-13		
	Pump test data: Well water was .117									
N	W NW NE E EST. YIELD. 667gpm. Well water was. 129									
W										
Domestic Deadlet Doil field water symply Devectoring Dether (Specific below)										
SX SE										
Was a chemical/bacteriological sample submitted to Department? Yes V No										
S If yes, mo/day/yr sample was submitted										
was submitted Water well disinfected? Yes No										
5 TYPE OF CASING USED: Steel PVC Other Other										
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .16										
Casing diameter 10 in. to 100 ft., Diameter in. to										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel PVC Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From 165 ft. to 145 ft., From ft. to ft. ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From 165 ft. to 20 ft., From ft. to ft.										
From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
What is	the near	est source of possible conta				·····,	_			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)										
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well										
		ht sewer lines		Fertilizer s		Oil well/gas		•••••	••••	
		n well		FROM						
FROM	TO	LITHOLOG	IC LOG	+				GGING INTERV	ALS	
0	20	Top soil		138 165			vel- fine to smal			
30	40	Tan & gray clay		100		iay, iiines	tone, & broken s	anusione		
20	49	Sand & gravel- small								
40	74.5	Tan clay		 						
49		Sand & gravel- med & loose								
74.5	75	Sandy tan clay	Fine sand							
75	86									
126	126 138	Tan clay & caliche	and & gravel- fine to small w/							
126	130									
small clay streaks										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, or plugged										
under my jurisdiction and was completed on (mo/day/year) .729-13										
under the business name of Rosencrantz-Bemis Ent Inc. by (signature)										
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three conies										
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367										
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at										
http://www.kdheks.gov/waterwell/index.html. KSA 920-1212 Chooks: Market Company Date: Company Date										
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy										