COUNTY: EDWARDS	Fraction SE 1/4 NW 1/4 NW	Section N 1/4	umber Townshi T 25	p Number S	Range Number R 19 W
Distance and direction from ne 1 MILE EAST, 2 MILES SOUTH OF	KINSLEY	t address of well if l	ocated within city?		
WATER WELL OWNER: COM RR#, St. Address, Box #: 141		Boa	rd of Agriculture,	Division of Wat	er Resources
City, State, ZIP code : EDM	IOND, OK 73034-	App	lication Number:		t t
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				2. 0 ft.	3. 0 ft
1 NE	WELL'S STATIC W	ATER LEVEL 13 ft. b testdata: Well water v	elow land surface m was 0 ft. afte	easured on mo/d r O hours p	ay/yr 07/20/03 umping 0 gp
1 ,7 RW RE	Estimated Yield	0 gpm: Well water	was 0 ft. afte	r O hours p	umping Ogp
M i W	E Bore Hole Diame	ter 8.75 in. to	50 ft., and	in. to	0 ft.
e	1 1				!
/	Was a chemical/	bacteriological sample yr sample was submitte			disinfected? Ye
Blank casing diameter 5	in. to 40 ft., Di	a in. to Of	t., Dia in.	to 0 ft.	
Blank casing diameter 5 Casing height above land surfa TYPE OF SCREEN OR PERFORATION SCREEN OR PERFORATION OPENINGS	ce 12 in., weigh MATERIAL: PVC	a in. to Oft t Olbs/ft. Wall:	t., Dia in. thickness or gauge	to 0 ft. No. 26	
Casing height above land surfa TYPE OF SCREEN OR PERFORATION	ICE 12 in., weigh MATERIAL: PVC SARE: SAW CUT From 40 ft. t	o 50 ft., From (o 0 ft., From (o 50 ft., From (oft. to 0 ft. oft. to 0 ft. oft. to 0 ft.	to 0 ft. No. 26	
Casing height above land surfa TYPE OF SCREEN OR PERFORATION SCREEN OR PERFORATION OPENINGS SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL BENTONITE	ARE: SAW CUT From 40 ft. t From 21 ft. t From 0 ft. t From 0 ft. t	t	oft. to 0 ft. oft. to 0 ft. oft. to 0 ft.	No. 26	
Casing height above land surfa TYPE OF SCREEN OR PERFORATION SCREEN OR PERFORATION OPENINGS SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL BENTONITE GROUT Intervals: From 0 f	AARE: SAW CUT From 40 ft. t From 0 ft. t From 21 ft. t From 0 ft. t From 0 ft. t From 0 ft. t	t	oft. to 0 ft. ft. to 0 ft. ft. to 0 ft. ft. to 0 ft. ft. to 0 ft.	No. 26	many feet? 600
Casing height above land surfa TYPE OF SCREEN OR PERFORATION SCREEN OR PERFORATION OPENINGS SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL BENTONITE Grout Intervals: From 0 f What is the nearest source of	AARE: SAW CUT From 40 ft. t From 0 ft. t From 21 ft. t From 0 ft. t From 0 ft. t From 10 ft. t	t	oft. to 0 ft. ft. to 0 ft. ft. to 0 ft. ft. to 0 ft. ft. to 0 ft.	No. 26	
Casing height above land surfa TYPE OF SCREEN OR PERFORATION SCREEN OR PERFORATION OPENINGS SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL BENTONITE Grout Intervals: From 0 f What is the nearest source of Direction from well? WEST FROM TO 0 48 SAND AND G	AARE: SAW CUT From 40 ft. t From 0 ft. t From 21 ft. t From 0 ft. t From 0 ft. t From 10 ft. t	t Olbs/ft. Wall of the control of th	Oft. to Oft.	0 ft.	
Casing height above land surfa TYPE OF SCREEN OR PERFORATION SCREEN OR PERFORATION OPENINGS SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL BENTONITE Grout Intervals: From 0 f What is the nearest source of Direction from well? WEST FROM TO 0 48 SAND AND G	AARE: SAW CUT From 40 ft. t From 0 ft. t From 21 ft. t From 0 ft. t From 0 ft. t From 10 ft. t	t Olbs/ft. Wall of the control of th	Oft. to Oft.	0 ft.	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 07/20/03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 653A This Water Well Record was completed on (mo/day/yr) 10/09/03 under the business name of DAN HAYSE WATER WELL SVC.