WATED	M/ELL	RECORD	
WAIER	VVELL	RECURD	

Form WWC-5

KSA 82a-1212 ID No.

Well #4

1 LOCATIO	N OF WATER	WELL:	Fraction						1	on Number	1	wnship Nu	mber		ige Number
County:	Sedg	wick	NE	1/4	NW	1/4	NW			35		25	S	R	2 w
	d direction from 6HWY & 15			et add	ress of w	ell if loo	cated with	nin ci	ty?			Northing: Easting:			
	WELL OWNER														
RR#, St. Add	dress, Box#	: 6016 8	S. Spring	Lake	Road						Boa	rd of Agricu	ılture, Div	ision of W	/ater Resources
City, State, 2	ZIP Code	Halste	ad, Kans	as 67	7056						Арр	lication Nu	nber:		
3 LOCATE AN "X" IN	ZIP Code WELL'S LOCA SECTION BO	ATON WITH X:	4 DEPTH	OF CO	OMPLET	ED WE	ELL	_	135	ft. ELE	OITAV	d:			
			Deptn(s) G	rounaw	/ater ⊨nc	ountere	ea 1_			ft.	. 2		ft.	3	ft.
	N		WELL'S ST	ATIC \	WATER L	.EVEL	10	0.0	ft. b	elow land s	urface r	neasured o	n mo/day	/yr	1/28/09
4 Mile	X			Pump	test data	Wel	ll water w	as	8′	1.61 f	t. after	72	hours	oumping	1600 gpm
F	. NW NI	3	Est. Yield	1600	map 0	Wel	ll water w	as		f	t. after		hours i	oumpina	apm
w		E	Bore Hole I	Diamet	er4	· 2 i	in. to		135	5	ft. and	29) i	n. to	135 ft.
			WELL WAT	TER TO	BE USE	DAS:	(5) Pub	lic v	vater si	upply	8 <i>A</i>	ir condition	ing 1	1 Injection	135 ft. on well (Specify below)
-	- SW SI	3	2 1001	nesuc	4 Indu	atrici	7 100	ieia i	d aard	uppiy an (domoati	9 L	Jewatering Manitaring	الميد	2 Otner	(Specify below)
			1												
	S		Was a chei	nical/b	acteriolo	gical sa	ample sub	omitte	ed to D	epartmen		No 🚣	If yes	, mo/day/	yr sample was
**			submitted							Wat	ter Well	Disinfected	? Yes >	(No
5 TYPE OF	BLANK CASI	NG USED:			5 Wro	ught Iro									Clamped
1 Ste			(SR)											_	
(2)PV															
Blank casing	g diameter														ft.
Casing heig	ht above land	surface	48"	i	n., weigh	t	SD	R-1	7	lbs./ft.	 Wall th	nickness or	gauge No	- –).	1.024"
TYPE OF S	CREEN OR PE	REFORATION	N MATERIA	L:					7 I	PVC		10 Asbe	stos-cem	ent	
1 Ste	el	(3)Stain	less steel		5 Fibe	rglass			8 1	RMP (SR)		11 Othe	r (specify)		
	ISS R PERFORAT	4 Gaiva	anized steel		6 Con	crete ti	0				0.0			44 Mail	/
	ntinuous slot	3	Mill slot			6	Wire wr	appe	ed ed		9 Di	illed holes		II NO	ie (open noie)
	vered shutter	4	NGS ARE: Mill slot Key punche	ed		7	Torch c	ut			10 O	ther (speci	fy)		ne (open noie)
SCREEN-P	ERFORATED	INTERVALS	S: From _			11. 10	·		ยบ	ft.	From _		ft.	to	ft.
			From _			ft. to	·			ft.	From		ft.	to	ft.
GR.	AVEL PACK IN	ITERVALS:	From _		135	ft. to			25	ft.	From _		ft.	to	ft.
			From			ft. to)			ft.	From		ft.	to	ft.
6 GROUT	MATERIAL:	1 Neat	t cement	2	Cement	grout	X		3 Bent	onite X	4 Oth	er		•	ft.
Grout Interv	als From	0	ft. to	20	ft. F	rom	20		to	25	j	rom		ft. to	ft.
	nearest source				None	Knov	wn			10 Lives	stock pe	ns	14 At	andoned	water well
1 Sep	ptic tank		4 Lateral	lines		7 P	it privy			11 Fuel	storage		15 Oi	I well/ Ga	s well
	wer lines		5 Cess p				Sewage la	gooi	า	12 Fertil		-	16 Of	her (spec	ify below)
1	itertight sewer	lines	6 Seepa	ge pit		9 F	eedyard			13 Insec		torage			
Direction fro	m well?	CODE	1	THOL	OGIC LO	<u></u>			ROM	How many TO	/ feet?	DII	JGGING I	NTED\/A	10
FROM	10	CODE	L	INOL	3616 10	<u> </u>	· · · · · · · · · · · · · · · · · · ·		KOW	10		FLC	JGGING I	NIERVA	LS
													•		·
		S	ee Attach	ed L	og										
								<u> </u>							
7 CONTR	ACTOR'S OR	LANDOWNE	ER'S CERTIF	ICATIO	ON: This	water	well was	(1)	constri	ucted, (2) re	econstru	icted, or (3)	plugged	under my	jurisdiction and
L_Jwas	on (mo/day/yr)			2/6/	09				and thi	is record is t	true to th	ne hest of m	w knowle	dae and b	oelief. Kansas
1 '	Contractor's Li				102								-	•	2/13/09
	usiness name			ne C		nsen	Comp					ature) (
INSTR	UCTIONS:. PI	ease fill in bla	anks and circl	e the co	orrect ansv	vers.	Send thre	e cor	ies to K	(ansas Depa	artment c	f Health and	Environm	ent, Burea	au of Water, 1000
I SWJa	ackson St., Ste.	420, Topeka	, Kansas 666	12-1367	7. Teleph	ione: 9	913-296-5	545.	Send	one to WATI	ER WEL	L OWNER a	and retain o	one for vol	ur records.



TEST HOLE REPORT

Page 1 0f 1

LAYNE Western

A Division of LAYNE Christensen Company Wichita, Kansas

			, Nalisas						
		ity of Wichita/Bentley	Test Hole No. TH4-08 or MW - 4						
Job # 966110			Date: 10/03/08						
		-	Driller: Holub						
Location	of Test He	ole:	Elevation of Test Hole:						
GPS Loc	eation: N 3	375022.8	Static Water Level:						
<u> </u>		0973052.4							
			Measured Hours After Completion						
From	То		escription of Strata						
0	1	Top Soil							
1	2'6"	Brown clay							
2'6"	25	Fine to medium sand with fine gravel							
25	36	Fine to coarse sand							
36	41	Real fine red sand (Tight)							
41	64'6"	Real fine red sand with tan clay lenses							
64'6"	76'	Fine to coarse sand (red)							
76	77	Tan clay							
77	115	Fine to coarse sand							
115	121'6"	Fine to coarse sand with tan clay lenses							
121'6"	123	Tan Clay							
123	136'6"	Fine sand to medium grav	rel						
136'6"	150	Tan Clay							
150'		Total Depth							
		Page 1997							