• ·	17 11/11/ 0 E	Division of Wets	r Resources App. N	48,785	
WATER WELL RECORD		Section Number	Townshin No.	Range Number	
I LOCATION OF WATER WEEL	Fraction 1/4 NW 1/4 SW 1/4 SE 1/4	10	T 25 S	R 2 DE WW	
Country SOCOWICK					
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here		Latitude: (in decimal degrees)			
from nearest town of intersection. If at owner a address, entertine		Longitude: (in decimal degrees)			
W. 109th N. and N 151st W. Bentley		Elevation:			
TOWN TOWN THE TOWN TH		Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
2 WATER WELL OWNER: Farmers Cooperative RR#, Street Address, Box #: 302 W. 1st St.		GPS unit (Make/Model:			
City, State, ZIP Code : Halstead. KS 67056		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Halstead. KS 67056 Est. Accuracy: $\square < 3 \text{ m}, \square 3-5 \text{ m}, \square 5-15 \text{ m}$					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 100 ft.					
π					
1	1 — —				
	The standard Well water was the after				
The state of the s					
[NW]NE D 17-10 Diameter 16 in to 100 th, and					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Domestic Feedlot Of field water supply Bowlatting SE Irrigation Industrial Domestic-lawn & garden Monitoring well					
SW SE Irrigation					
s If yes, mo/day/yr sample was submitted					
Water well disinfected? W Yes No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Intreaded Casing diameter 8. in. to					
Casing height above land surface in., weight A.S					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
D State D Stat					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Total cut Diffice field Diffice field Continuous slot Mill slot Gauze wrapped Saw cut Other (specify) Screen St. Screen Screen Continuous slot Mill slot Gauze wrapped Saw cut Other (specify) Saw cut Other (specify) Screen St. Screen Scre					
CDAVEL DACK INTERVALS	. From 20 ft to 100	ft., From		π. το ι	
GRAVEL PACK INTERVALS: From 20 ft. to 100 ft., From ft. to ft. From ft. to 100 ft., From ft. to ft.					
Coment group P Bentonite Other					
TOUL HILE VAIS. I TOM					
What is the nearest source of possible contamination: Servic tank					
Septic tank Lateral lines Fit pitty Lives took point Abandoned water well Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepag	a mit	storage Oil well	ETTO HOTE		
Direction from well East	Distanc	e from well300'	I OG (somt) on Di	LUGGING INTERVALS	
FROM TO LITHOLO	OGIC LOG FROM	TO LITHO.	LOG (COIL.) OF PI	POSOTIO HITPKIND	
0 5 Topsoil			· · · · · · · · · · · · · · · · · · ·		
5 - 10 Fine Sand	Canada Canda	 			
10 50 Medium Sand To	CONFSE GRAVE				
50 52 Clay 52 59 Medium Sand					
<u> </u>					
80 100 Fine Sand w/Clay la	vers .				
100 1 33					
		-ter well was 57 ac-	etmicted [] recon	structed, or I plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 2 constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .05/04/2015 and this record is true to the best of my knowledge and belief.					
under my jurisdiction and was completed on (mo/day/year) .0.5(06/2015) Kansas Water Well Contractor's License No238					
Kansas Water Well Contractor's License No230					
under the business name of Premier Pump of Well Set Vices, Item by (signature). Description of Signature of S					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRML</u> and <u>PRINT</u> cleanly. Flease in in the state of the st					