KOLAR Document ID: 1365186

					ter		337 11 1				
		ge in Well Use		esources App. 1		T 1: N	Well II				
1 LOCATION OF V	NATER WELL:	Fraction 1/4 1/4 1/4		ection Numb	er	Township Number		Range Number			
County:	1	1	)1 A d d	1	T S	R	□ E □ W				
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:											
Address:											
Address:											
City:	State:	ZIP:									
3 LOCATE WELL	4 DEPTH OF COM		ft 5 Lotit	hado.			(desimal desmass)				
WITH "X" IN		Depth(s) Groundwater Encountered: 1)				Longitude:					
SECTION BOX: N	2) ft.		Datum: WGS 84 NAD 83 NAD 27								
	WELL'S STATIC WA			Source for Latitude/Longitude:							
	☐ below land surface			GPS (unit make/model:)							
NW NE	above land surface.			(							
	· c 1	Pump test data: Well water was ft. after hours pumping gpm				☐ Land Survey ☐ Topographic Map ☐ Online Mapper:					
W	Well w			Online	Mapper:						
SW SE	after hours										
	Estimated Yield:		81		<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC						
S	Bore Hole Diameter:	in. to	ft. and								
mile		III. W II.									
7 WELL WATER TO BE USED AS:											
1. Domestic:		ater Supply: well ID				ld Water Supply:					
Household		6. ☐ Dewatering: how many wells?				11. Test Hole: well ID					
☐ Lawn & Garden ☐ Livestock				Cased Uncased Geotechnical							
2. ☐ Irrigation		8. Monitoring: well ID				12. Geothermal: how many bores?					
3. ☐ Feedlot	☐ Air Sparge	Extraction		b) Open Loop							
4. ☐ Industrial	Recovery					specify):					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
Water well disinfected? $\square$ Yes $\square$ No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From ft to ft From ft Fro											
Grout Intervals: From											
Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage											
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well											
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Specify)											
								DIG DIEDLIALG			
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LITI	HO. LOG (cont.) o	r PLUGG	ING INTERVALS			
			Notes:		l						
	110005										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged											
under my jurisdiction and was completed on (mo-day-year)											
under my jurisdiction and was completed on (mo-day-year)											
under the business nar	ne of										
KS Department of Health	Send one copy to WATER W							ione 785-206 3565			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.  Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212											
we meep // tr tr tr .Rui											