

MW-2

1 LOCATION OF WATER WELL: County: <u>Edwards</u>	Fraction <u>NE 1/4 NW 1/4 SE 1/4</u>	Section Number <u>7</u>	Township Number <u>T 25 S</u>	Range Number <u>R 20 EW</u>
---	---	----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?
NE of Elm & Kansas, Offerle

2 WATER WELL OWNER: RR#, St. Address, Box #: City, State, ZIP Code:	<u>Offerle Coop Grain & Supply Co.</u> <u>Box 65</u> <u>Offerle, KS 67563</u>	Board of Agriculture, Division of Water Resources Application Number:
---	---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>49.5</u> ft. ELEVATION: <u>NA</u>
--	---

N

NW	NE
SW	SE

S

W

E

Depth(s) Groundwater Encountered 1. NA ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 39.50 ft. below land surface measured on mo/day/yr 11-4-92

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm Well water was ft. after hours pumping gpm

Bore Hole Diameter 8 in. to ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		9 Dewatering
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>2</u> in. to ft., Dia	in. to ft., Dia	in. to ft., Dia	<u>Threaded</u> <u>Flush</u>
Casing height above land surface <u>Flush</u> in., weight <u>703</u> lbs./ft. Wall thickness or gauge No. <u>154</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>7 PVC</u>	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
11 Other (specify)		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	<u>3 Mill slot</u>	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From <u>34.3</u> ft. to <u>49.3</u> ft.	From ft. to ft.	From ft. to ft.
GRAVEL PACK INTERVALS:	From <u>33.3</u> ft. to <u>49.3</u> ft.	From ft. to ft.	From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other
Grout Intervals: From <u>33.3</u> ft. to <u>1.0</u> ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well? <u>NA</u>				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				How many feet? <u>NA</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0.0	1.0	Top Soil			
1.0	1.5	Concrete			
1.5	10.0	Clay, silty			
10.0	15.0	Silt, clayey			
15.0	19.0	Clay, silty			
19.0	24.0	Silt, very clayey			
24.0	30.0	Clay, very silty			
30.0	49.5	Silt			
<p>Flush Mount waiver granted on 10-13-92 for KDHE NO 01024048B; Offerle Coop Grain & Supply by Don Taylor</p>					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10-28-92</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>531</u> This Water Well Record was completed on (mo/day/yr) <u>11-10-92</u> under the business name of <u>Geotechnical Services, Inc</u> by (signature) <u>Allison Jorwin</u>
--

OFFICE USE ONLY
T
R
EM
SEC.
1/4
1/4
1/4