

County: Ford Fraction: SE SE SE SE Sec. 21 T 25 S R 21 W

**CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5) - to rectify lacking or incorrect information**

Owner: Rean Stegman

If corrected, location was listed as:

Location changed to:

Section-Township-Range: \_\_\_\_\_

\_\_\_\_\_

Fraction (1/4 1/4 1/4): \_\_\_\_\_

\_\_\_\_\_

Other changes: Initial statements: No "nearest source of possible contamination" given.

Changed to: (Other) Water Way, North 80ft.

Comments: \_\_\_\_\_

Verification method: Correspondence from drilling contractor.

Initials: DRA Date: 10/5/2017

Submitted by:  Kansas Geological Survey, Data Resources Library, 1930 Constant Avenue, Lawrence, KS 66047-3724  
 Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

WATER WELL RECORD Form WWC-5

[X] Original Record [ ] Correction [ ] Change in Well Use

Division of Water Resources App. No. [ ]

Well ID [ ]

1 LOCATION OF WATER WELL: County: Ford Fraction SE 1/4 SE 1/4 SE 1/4 SE 1/4 Section Number 21 Township Number T 25 S Range Number R 21 [ ] E [X] W

2 WELL OWNER: Last Name: Stegman First: Rean Street or Rural Address where well is located: Intersection 133 Rd & Eagle Rd 100' West & 30' North side

3 LOCATE WELL WITH 'X' IN SECTION BOX: [Diagram] 4 DEPTH OF COMPLETED WELL: 200 ft. 5 Latitude: 37.855000 Longitude: 99.625813 Elevation: 2338 ft. [X] Ground Level [ ] TOC

7 WELL WATER TO BE USED AS: 1. Domestic [ ] Househol [ ] Lawn & Garden [X] Livestock 2. [ ] Irrigation 3. [ ] Feedlot 4. [ ] Industrial 5. [ ] Public Water Supply: well ID 6. [ ] Dewatering: how many wells? 7. [ ] Aquifer Recharge: well ID 8. [ ] Monitoring: well ID 9. Environmental Remediation: well ID 10. [ ] Oil Field Water Supply: lease 11. Test Hole: well ID 12. Geothermal: how many bores? 13. [ ] Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? [ ] Yes [X] No If yes, date sample was submitted: Water well disinfected? [X] Yes [ ] No

8 TYPE OF CASING USED: [ ] Steel [X] PVC [ ] Other CASING JOINTS: [X] Glued [ ] Clamped [ ] Welded [ ] Threaded Casing diameter 08 in. to 200 ft. Diameter in. to ft. Casing height above land surface 12 in. Weight lbs./ft. Wall thickness or gauge No. SDR-26 TYPE OF SCREEN OR PERFORATION MATERIAL: [ ] Steel [ ] Stainless Steel [ ] Fiberglass [X] PVC [ ] Brass [ ] Galvanized Steel [ ] Concrete tile [ ] None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: [ ] Continuous Slot [ ] Mill Slot [ ] Gauze Wrapped [ ] Torch Cut [ ] Drilled Holes [ ] Other (Specify) [ ] Louvered Shutter [ ] Key Punched [ ] Wire Wrapped [X] Saw Cut [ ] None (Open Hole) SCREEN-PERFORATED INTERVALS: From 80 ft. to 100 ft., From 120 ft. to 200 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 30 ft. to 200 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: [ ] Neat cement [ ] Cement grout [X] Bentonite [ ] Other Grout Intervals: From 0 ft. to 30 ft., From ft. to ft., From ft. to ft. Nearest source of possible contamination: [ ] Septic Tank [ ] Lateral Lines [ ] Pit Privy [ ] Livestock Pens [ ] Insecticide Storage [ ] Sewer Lines [ ] Cess Pool [ ] Sewage Lagoon [ ] Fuel Storage [ ] Abandoned Water Well [ ] Watertight Sewer Lines [ ] Seepage Pit [ ] Feedyard [ ] Fertilizer Storage [ ] Oil Well/Gas Well [ ] Other (Specify) Direction from well? Distance from well? ft.

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [X] constructed, [ ] reconstructed, or [ ] plugged under my jurisdiction and was completed on (mo-day-year) 05/08/2016 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 846 This Water Well Record was completed on (mo-day-year) 05/11/2016 under the business name of Nash Water Well Service, LLC

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Rean Stegman
Doc ID	1306419

Litholgy

0	20	Topsoil, Brown tan clay
20	50	Brown Tan Clay
50	60	Tan white caliche, thin rock layer
60	80	Tan yellow gray clays
80	90	Tan clays
90	100	Blue/Tan/Brown/Red soft sand rock
		w/clay layers
100	117	Tan clay wth fine sand streaks
117	130	Fine tight sand w/gray tan clay streaks
		& thin rock layer
130	140	Tan gray clay, fine sand
140	160	Fine tight sand w/tan gray clay layers
160	170	Fine tight sand
170	180	Gray clay, fine tight tan sand
180	200	Tan fine sand w/gray clay streaks
200	220	Gray red clay