

1 LOCATION OF WATER WELL: COUNTY: POED		Fraction SW 1/4 SW 1/4 SE 1/4	Section Number 36	Township Number T 25 S	Range Number R 25 W																				
Distance and direction from nearest town or city street address of well if located within city? LOT 2 -- BLOCK 4 DODGE CITY, KS 67801-																									
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP code :		RAYFORD HILL BOLLING HILLS ESTATE DODGE CITY, KS 67801-		Board of Agriculture, Division of Water Resources Application Number:																					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 78 ELEVATION: 0 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.																							
<table border="1"> <tr><td>1</td><td></td><td>NW</td><td></td><td>NE</td></tr> <tr><td>2</td><td>W</td><td></td><td></td><td>E</td></tr> <tr><td>3</td><td></td><td>SW</td><td></td><td>SE</td></tr> <tr><td>4</td><td></td><td></td><td>X</td><td></td></tr> </table>		1		NW		NE	2	W			E	3		SW		SE	4			X		WELL'S STATIC WATER LEVEL 49 ft. below land surface measured on no/day/yr 01/30/95 Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm			
		1		NW		NE																			
		2	W			E																			
		3		SW		SE																			
4			X																						
Estimated Yield 30 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm																									
Bore Hole Diameter 9 in. to 78 ft., and in. to 0 ft.																									
WELL WATER TO BE USED AS: DOMESTIC				Was a chemical/bacteriological sample submitted to department? No ; If yes, no/day/yr sample was submitted Water well disinfected? Yes																					
5 TYPE OF BLANK CASING USED: PVC Blank casing diameter 5 in. to 78 ft., Dia Casing height above land surface 12 in., weight		CASING JOINTS: GLUED 0 ft., Dia in. to 0 ft. 200 lbs/ft. Wall thickness or grade No. 21																							
TYPE OF SCREEN OR PERFORATION MATERIAL: PVC SCREEN OR PERFORATION OPENINGS ARE: SAW CUT																									
SCREEN PERFORATED INTERVALS:		From 53 ft. to 73 ft., From 0 ft. to 0 ft.																							
GRAVEL PACK INTERVALS:		From 0 ft. to 0 ft., From 0 ft. to 0 ft. From 24 ft. to 78 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft.																							
6 GROUT MATERIAL BENTONITE Grout Intervals: From 4 ft. to 24 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: NONE - NEW SITE Direction from well?		How many feet? 0																							
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																				
0	50	TOPSOIL BROWN CLAY ROCK LAYERS																							
50	70	MEDIUM SAND GRAVEL																							
70	80	YELLOW CLAY ROCK LAYERS																							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (no/day/year) 03/07/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (no/day/yr) 04/17/95 under the business name of JOB'S WELL SERVICE, INC. by (signature) <i>Justin Cwik</i>																									