WATER WELL RECOR	D Form	WWC-5	Division of Water	Resources App. No.	
1 LOCATION OF WATER			To the second se		Cango - La S
County: LORD	SW4 SW 45	E 1/4 1/4	//	T 25 S	R 25 □E 🗷 W
Street/Rural Address of Wel	l Location; if unknown, distance	e & direction	Global Positioning	System (GPS) info	ormation:
from nearest town or intersection: If at owner's address, check here \(\overline{\sqrt{2}} \).		Global Positioning System (GPS) information: Latitude: 37.53.4//3			
			Elevation:		
2 WATER WELL OWNER:			Datum: WGS 84 Collection Method:	, □ NAD 83, □	NAD 27
RR#, Street Address, Box #:		GPS unit (Make/Model: EMMIN GOLSX)			
City, State, ZIP Code : 1/0/4 CHES/NO/			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
RR#, Street Address, Box #: City, State, ZIP Code DoDEE CITY, 165 67801			Est. Accuracy: ✓ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LO	EPTH OF COMPLETED WI	GII 407	<i>60</i> ft.		
Dent	th(s) Groundwater Encountered	LLL	ft (2)	A (3)) A
Depth(s) Groundwater Encountered (1)					
	Pump test data: Well w				
EST. YIELDgpm. Well water wasft. after hours pumpinggpm					
W E Bore Hole Diameter					
WELL WATER TO BE USED AS:					
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well					
was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
water wer disinfected: 1 Tes 110					
5 TYPE OF CASING USED: Steel PVC POther POLYETY LEAF					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter 3/4 in. to 20 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight in., Weight wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)					
SCREEN-I ERI ORATED INT					
From					
From					
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other					
	2 ft. to 7.400 ft., Fr	om f	t. to ft.,	From	ft. toft.
What is the nearest source of po			_	_	
	☐ Lateral lines ☐ Pit privy☐ Cesspool ☐ Sewage lagoon	Livestock po			r (specify below)
	☐ Cesspool ☐ Sewage lagoon ☐ Seepage pit ☐ Feedyard	n ☐ Fuel storage ☐ Fertilizer sto			
Direction from well .64.57.		Distance f			
To local to	PARCICLOG	FROM			GING INTERVALS
O 10 CLAY SHA	E				
10 65 LIMESTON					
US 160 SHALE /CI					
160 170 LIMESTONE	ξ				
170 200 SHALE					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, rec

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blank and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html.