KOLAR Document ID: 1539671

				Division of Water				
<u> </u>		Fraction		sources App. Nection Numbe		Well ID	a Mumbar	
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4 1/4	1/4	ction Numbe	1	Township Number Range Number T S R □ E □		
2 WELL OWNER:			eet or Rural Address where well is located (if unknown, distance and					
Business: direction from nearest town or intersection): If at owner's address, check here:								
Address:								
Address:	State:	ZIP:						
City: 3 LOCATE WELL	State:	-						
WITH "X" IN	WIN 4 DEPTH OF COMPLETED WELL:			5 Latitude:				
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:(decimal degrees)				
N		3) ft., or 4) ☐ TER LEVEL:			n: ☐ WGS 84 ☐ NA		JAD 27	
		e, measured on (mo-day-			e for Latitude/Longitud		`	
NW NE		, measured on (mo-day-						
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
E E		s pumping		Online Mapper:				
SW SE		vater was fi						
	after hours pumping gpm Estimated Yield:gpm			6 Elevation :ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter: in. to ft. an			Source: Land Survey GPS Topographic Map				
mile		in. to		Other				
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID			l Field Water Supply:			
☐ Household		ng: how many wells?			11. Test Hole: well ID			
Lawn & Garden	7. ☐ Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical			
☐ Livestock 2. ☐ Irrigation					12. Geothermal: how many bores?			
3. ☐ Feedlot	9. Environmental Remediation: well ID ☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
	ole contamination: No ☐ Lateral Line				na 🗆 Ingget	iaida Staraga		
☐ Septic Tank☐ Sewer Lines				Livestock Per		icide Storage		
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
Direction from well? Distance from well?								
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. LOG (cont.) o	r PLUGGIN	G INTERVALS	
			1					
				+				
			+					
				1				
			1					
			Notes:	otes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
under the business name of								
	Send one copy to WATER W	ELL OWNER and retain of	ne for your re	cords. Fee of \$5	.00 for each constructed w	ell.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at <u>http://www.kdh</u>	eks.gov/waterwell/index.html					K	SA 82a-1212	