

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction <i>SE 1/4 SW 1/4 SE 1/4</i>	Section Number <i>30</i>	Township Number <i>T 25 S</i>	Range Number <i>R 27 EW</i>		
Distance and direction from nearest town or city street address of well if located within city? <i>from Cimarron, 1/2 mile north, 1/2 mile east, 1 mile north, then 1/2 mile east.</i>							
2 WATER WELL OWNER:		Katie Koehn 19504 L. Rd. Cimarron, KS 67835					
RR#, St. Address, Box #:		Board of Agriculture, Division of Water Resources					
City, State, ZIP Code:		Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <i>265</i> ft. ELEVATION: <i>143</i> ft. below land surface measured on mo/day/yr <i>5-11-98</i>					
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield gpm; Well water was ft. after hours pumping gpm					
		Bore Hole Diameter in. to ft. and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> ; if yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped <input type="checkbox"/>			
1 Steel		3 RMP (SR)	6 Asbestos-Cement	Welded <input type="checkbox"/>			
<input checked="" type="checkbox"/> PVC		4 ABS	7 Fiberglass	Threaded <input type="checkbox"/>			
Blank casing diameter <i>5"</i>		in. to <i>225</i>	ft., Dia.	in. to ft., Dia. in. to ft.			
Casing height above land surface <i>12</i>		in., weight	lbs./ft. Wall thickness or gauge No. <i>50R 21</i>				
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement					
1 Steel		3 Stainless steel	5 Fiberglass	11 Other (specify) <input type="checkbox"/>			
2 Brass		4 Galvanized steel	6 Concrete tile	12 None used (open hole) <input type="checkbox"/>			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 RMP (SR)	11 None (open hole) <input type="checkbox"/>			
1 Continuous slot		3 Mill slot	6 Wire wrapped	9 Drilled holes <input type="checkbox"/>			
2 Louvered shutter		4 Key punched	7 Torch cut	10 Other (specify) <input type="checkbox"/>			
SCREEN-PERFORATED INTERVALS: From <i>225</i> ft. to <i>265</i> ft.			From <i>225</i> ft. to <i>265</i> ft.	From <i>225</i> ft. to <i>265</i> ft.			
GRAVEL PACK INTERVALS: From <i>24</i> ft. to <i>265</i> ft.			From <i>24</i> ft. to <i>265</i> ft.	From <i>24</i> ft. to <i>265</i> ft.			
6 GROUT MATERIAL: 1 Neat cement		2 Cement grout	3 Bentonite	4 Other			
Grout Intervals: From <i>4</i> ft. to <i>24</i> ft.		ft., From	ft. to	ft., From ft. to ft.			
What is the nearest source of possible contamination:							
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens <input checked="" type="checkbox"/>			
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage <input type="checkbox"/>			
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage <input type="checkbox"/>			
				13 Insecticide storage <input type="checkbox"/>			
Direction from well? <i>Northwest</i>		How many feet? <i>12</i>					
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
<i>0</i>	<i>2</i>	<i>Topsoil</i>					
<i>2</i>	<i>55</i>	<i>Brown clay</i>					
<i>55</i>	<i>62</i>	<i>Caliche</i>					
<i>62</i>	<i>78</i>	<i>Sandrock</i>					
<i>78</i>	<i>84</i>	<i>Caliche + med. Sand layers</i>					
<i>84</i>	<i>100</i>	<i>Caliche, brown clay, & Sandrock edges</i>					
<i>100</i>	<i>113</i>	<i>Brown sandy clay</i>					
<i>113</i>	<i>122</i>	<i>Course sand</i>					
<i>122</i>	<i>136</i>	<i>Med. Sand + brown sandy clay layers</i>					
<i>136</i>	<i>158</i>	<i>Brown sandy clay</i>					
<i>158</i>	<i>182</i>	<i>Course sand + white clay layers</i>					
<i>182</i>	<i>189</i>	<i>Med. Sand + brown sandy clay</i>					
<i>189</i>	<i>200</i>	<i>Brown clay</i>					
<i>200</i>	<i>232</i>	<i>fine sand</i>					
<i>232</i>	<i>265</i>	<i>Course sand</i>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <i>5-11-98</i> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <i>533</i> This Water Well Record was completed on (mo/day/yr) <i>8-13-98</i> under the business name of <i>Tantzen Water Well Repair</i> by (signature) <i>[Signature]</i>							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							