WATER WELL R		Form W			ision of Wate		Well ID	
Original Record Correction Change 1 LOCATION OF WATER WELL:			Fraction		Resources App. No Section Number Township			
County: Gray NW 1/4 NW 1/4 SW 1/4 S				4 SW 1/4	sw ¼ 26 T 25 S R 27 ⊡ E Ø W			
2 WELL OWNER: La Business:	ast Name: MOO	re F	First: Nicole				(if unknown, distance and	
Address: 12406 23 Rd					direction from nearest town or intersection): If at owner's address, check here:			
				Garnett and 23 County Road. .25 Miles, on North East Side 300 Feet.				
3 LOCATE WELL							0/	
WITH "X" IN	4 DEPTH	OF COMPI undwater Enc	LETED WELL: countered: 1)1		5 Latitu	ide:	94(decimal degrees)	
SECTION BOX: N	2)	ft., or 4)	Dry Well	ry Well Datum: 7 WGS 84 □ NAD 83 □ NAD 27				
· · · · · · · · · · · · · · · · · · ·	WELL'S ST.	R LEVEL:	41ft.	Source for Latitude/Longitude:				
	below la	nd surface, m	easured on (mo-day easured on (mo-day	-yr)	□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No)			
NWNE	Pump test da	ta: Well wate	r was	ft.	□ Land Survey □ Topographic Map			
W E	after		mping			nline Mapper:		
X - SW SE	after		er was			0007		
	Estimated Vi	after hours pumping gpn Estimated Yield:25gpm			6 Elevation: 2697ft. I Ground Level TOC			
S	Bore Hole D	iameter:10.	25 in. to 260	ft. and	Source: Land Survey GPS Topographic Map Other KOLAR			
7 WELL WATER TO			in. to	π.				
1. Domestic: 5. Public Water Supply: well ID								
Household	6. Dewatering: how many wells?				11. Test Hole: well ID			
□ Lawn & Garden □ Livestock	7. Aquifer Recharge: well ID 8. Monitoring: well ID			•••••	Cased Uncased Geotechnical 12. Geothermal: how many bores?			
2. I Irrigation	9. Environmental Remediation: well ID							
3. 🔲 Feedlot			Soil Vapor	Extraction	on b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water			
4. Industrial		Recovery				••	1	
Was a chemical/bacter	iological sam	ple submitt	ed to KDHE?	Yes 🔽 No	If yes, date	e sample was submitte	ed:	
Water well disinfected?		NO	C Other	CASI	IG IOINTS	· Glued 7 Clampe	d 🗌 Welded 🗌 Threaded	
Casing diameter	in. to	260 ft, D	iameter	. in. to	ft., Dian	neter in. to .		
Casing height above land	surface	24 in.	Weight	lbs./ft.	Wall thick	mess or gauge No. SDI	R17	
TYPE OF SCREEN OF	R PERFORAT nless Steel	ION MATE				ner (Specify)	Certalok	
	anized Steel			used (open hole				
SCREEN OR PERFOR	ATION OPE	NINGS ARE	3:					
Continuous Slot								
□ Louvered Shutter SCREEN-PERFORAT	ED INTERVA	I.S. From	200 _{ft to} 260	aw Cut 🛛 🕅 ft., From .	ft. t	o ft., From	ft. to ft.	
SCREEN-PERFORATED INTERVALS: From								
9 GROUT MATERIAL: Deat cement Cement grout Dentonite Other								
Grout Intervals: From								
Nearest source of possible contamination: □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ □ □								
Sewer Lines		Cess Pool	□ Sewage L		Fuel Storage		loned Water Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well ☑ Other (Specify) .Nothing.within 500'								
Direction from well?			Distance from v					
10 FROM TO		ITHOLOGI	C LOG	FROM	TO	LITHO. LOG (cont.) of	or PLUGGING INTERVALS	
Attached Attached	Attached					<u></u>		
			······	Notor				
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was I constructed, I reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) .06/15/2018 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 846								
under the business nam	e of Nash V	Vater Well S	Service, LLC			-		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdhcks.gov/waterwell/index.html KSA 82a-1212								

Gray NW NW SW SW 26-25-27W

Form	WWC5			
Contractor	Nash Water Well Service, LLC			
Well Owner	Nicole Moore			
Doc ID	1412919			

Litholgy

0	5	TOP SOIL, TAN CLAY
5	73	TAN CLAY
73	103	FINE SAND, SOFT ROCK,
		CALICHE CLAY
103	110	FINE MEDIUM SAND
110	118	FINE COARSE SAND,
		WITH SMALL GRAVEL
118	128	FINE SAND, WITH TAN CLAY STREAKS
128	137	STICKY TAN CLAY
137	160	FINE MEDIUM SAND,
		WITH CLAY STREAKS
160	166	FINE SAND, WITH
		TAN CLAY LAYERS
166	190	TAN CLAY
190	200	TAN CLAY, WITH FINE SAND STREAKS
200	247	FINE MEDIUM SAND
247	256	TAN CLAY, WITH FINE SAND
256	260	BLUE SHALE