

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: COUNTY: GRAY		Fraction SW 1/4 NW 1/4 NW 1/4	Section Number 4	Township Number T 25 S	Range Number R 28 W																																																																		
Distance and direction from nearest town or city street address of well if located within city? FROM CIMARRON - 6 NORTH ON HIGHWAY 23 & 3 MILES WEST																																																																							
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP code :		WEHKAMP, RANDY 08405 15 ROAD INGALLS, KS 67853-																																																																					
		Board of Agriculture, Division of Water Resources Application Number:																																																																					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 265 ELEVATION: 0 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.																																																																					
<table border="1"> <tr> <td>1</td> <td>X</td> <td>NW</td> <td>NE</td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td>SW</td> <td>SE</td> </tr> </table>		1	X	NW	NE	2				3				4		SW	SE	WELL'S STATIC WATER LEVEL 136 ft. below land surface measured on mo/day/yr 11/26/97 Pump test data: Well water was 0 ft. after 0 hours pumping 0 gpm Estimated Yield 50 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm Bore Hole Diameter 10 in. to 265 ft., and in. to 0 ft. WELL WATER TO BE USED AS: DOMESTIC Was a chemical/bacteriological sample submitted to department? No ; If yes, mo/day/yr sample was submitted Water well disinfected? Yes																																																					
1	X	NW	NE																																																																				
2																																																																							
3																																																																							
4		SW	SE																																																																				
5 TYPE OF BLANK CASING USED: PVC CASING JOINTS: GLUED Blank casing diameter 5 in. to 265 ft., Dia in. to 0 ft., Dia in. to 0 ft. Casing height above land surface 12 in., weight 200 lbs/ft. Wall thickness or gauge No. 21 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC SCREEN OR PERFORATION OPENINGS ARE: SAW CUT																																																																							
SCREEN PERFORATED INTERVALS: From 230 ft. to 270 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft. GRAVEL PACK INTERVALS: From 35 ft. to 265 ft., From 0 ft. to 0 ft. From 0 ft. to 0 ft., From 0 ft. to 0 ft.																																																																							
6 GROUT MATERIAL BENTONITE Grout Intervals: From 5 ft. to 35 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft. What is the nearest source of possible contamination: NONE - NEW SITE Direction from well? How many feet? 0																																																																							
<table border="1"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>20</td> <td>TOPSOIL CLAY</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>60</td> <td>CLAY CALACHIE</td> <td></td> <td></td> <td></td> </tr> <tr> <td>60</td> <td>80</td> <td>CLAY CALACHIE SAND</td> <td></td> <td></td> <td></td> </tr> <tr> <td>80</td> <td>100</td> <td>FINE - MED SAND THIN ROCK LAYER</td> <td></td> <td></td> <td></td> </tr> <tr> <td>100</td> <td>120</td> <td>FINE - MED SAND THIN ROCK LAYER</td> <td></td> <td></td> <td></td> </tr> <tr> <td>120</td> <td>140</td> <td>FINE SAND COARSE SAND CLAY</td> <td></td> <td></td> <td></td> </tr> <tr> <td>140</td> <td>160</td> <td>FINE SAND CLAY</td> <td></td> <td></td> <td></td> </tr> <tr> <td>160</td> <td>180</td> <td>CLAY FINE SAND</td> <td></td> <td></td> <td></td> </tr> <tr> <td>180</td> <td>270</td> <td>FINE SAND COARSE SAND SMALL GRAVEL</td> <td></td> <td></td> <td></td> </tr> <tr> <td>270</td> <td>280</td> <td>ROCK LAYERS CLAY BLUE SHALE</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	20	TOPSOIL CLAY				20	60	CLAY CALACHIE				60	80	CLAY CALACHIE SAND				80	100	FINE - MED SAND THIN ROCK LAYER				100	120	FINE - MED SAND THIN ROCK LAYER				120	140	FINE SAND COARSE SAND CLAY				140	160	FINE SAND CLAY				160	180	CLAY FINE SAND				180	270	FINE SAND COARSE SAND SMALL GRAVEL				270	280	ROCK LAYERS CLAY BLUE SHALE			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																		
0	20	TOPSOIL CLAY																																																																					
20	60	CLAY CALACHIE																																																																					
60	80	CLAY CALACHIE SAND																																																																					
80	100	FINE - MED SAND THIN ROCK LAYER																																																																					
100	120	FINE - MED SAND THIN ROCK LAYER																																																																					
120	140	FINE SAND COARSE SAND CLAY																																																																					
140	160	FINE SAND CLAY																																																																					
160	180	CLAY FINE SAND																																																																					
180	270	FINE SAND COARSE SAND SMALL GRAVEL																																																																					
270	280	ROCK LAYERS CLAY BLUE SHALE																																																																					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 11/28/97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179 This Water Well Record was completed on (mo/day/yr) 12/03/97 under the business name of JOE'S WELL SERVICE, INC. by (signature) <i>Joe's Well Service</i>																																																																							