WATER WELL RECORD		Form W	WC-5	Di	vision of Wate	r Resources App. No	o. L	
1 LOCATION OF WATER WELL:				I	on Number		Range Number	
County: Gray					<u>35 </u>		R 18 □E [<u> </u>
Street/Rural Address by			System (GPS) in					
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)			
				Long	Longitude: (in decimal degrees) Elevation:			
1/2 m. west				Eleva	uon:	1 □ NAD 83 □	 NAD 27	
2 WATER WELL OWNER: V.C. McPhail				Collec	- Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: P.o. Box 934					GPS unit (Make/Model:)			
City, State, ZIP Code : Cimarron, Ks. 67835				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
2 LOCATE WELL	Cim	crron, N.670	درا	Est. A	ccuracy: [<	3 m, 3-5 m, 3	5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WEI	1. 30S	-	ft			
SECTION BOX: Depth(s) Groundwater Encountered (1)							3)	ft
N								
Pump test data: Well water wasft. after hours pumping								pm
EST. YIELDgpm Well water wasft. after hours pumping								pm
W								•
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted								
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel VPVC Other (Specify)								
Brass Galv	vanized Steel	None used (open l	hole)	J Other (c	эрссиу)	***************************************		
SCREEN OR PERFORA	TION OPENING	S ĀRE:	,					
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From 24 ft. to 305 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Grout Intervals: From	ft. to	1 4 ft., From	n	ft. to	ft.,	From	. ft. to	ft.
What is the nearest source	•		_		_			
Septic tank	=	es Pit privy	Livestock		Insecticide		er (specify below)	
Sewer lines								
Direction from well							·	••••
FROM TO	LITHOLOG		FROM	TO			GGING INTERVA	ALS
0 2 Tops						<u> </u>		
2 50 Tan								
	clay4 Calic	ihe,						
	r rack							
90 105 Med.	Sand + Sa	ndrack ledges						
	to Mrd-Sano				- William			
250 305 Med	. sand							
7 CONTRACTORS OF	LANDOSSIDE	10 CEDTING A DEC	NI. TI	11				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)								
under the business name of								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the pressure swers. Send three copies								
(white, blue, pink) to Kansas De	epartment of Health	and Environment, Bureau	of Water, Geol	ogy Sectio	on, 1000 SW Jac	kson St., Suite 420, T	Topeka, Kansas 66612-	-1367.
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								