<u>WATE</u> I	R WEL	L RECORD	Form WV	WC-5	Division of Water Resources App. No.
	ATION ty: Gray	OF WATER WELL:	Fraction ¹ / ₄ SW ¹ / ₄ SW	1/4 NW 1/4	Section NumberTownship No.Range Number12T25SR28□E✓
Stree	t/Rural A	ddress of Well Location; i	f unknown, distance &	direction	Global Positioning System (GPS) information:
		own or intersection: If at o	· ·	here .	Latitude:
5 1/2	2 Miles N	North of Cimarron on 23	Hwy, East 150'		Longitude: (in decimal degrees) Elevation:
2 *****	DEID AAL	TE AXX/NIED.			Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
			Buildings Com.		Collection Method: GPS unit (Make/Model:)
	State, Z	m a 1	399 IL 61550		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
		WIOTOH,	12 0 1000		Est. Accuracy:
	ATE WEI H AN "X"		COMPLETED WELL	_ 155"	ft.
	TION BO	X: Depth(s) Ground	lwater Encountered	(1)	ft. (2) ft. (3) ft ft. below land surface measured on mo/day/yr
 	N	WELL'S STATI	C WATER LEVEL!.	25fi	to below land surface measured on mo/day/yr
		POT VIELD 5	test data: Well water	∵was!∺≌ ∵was	ft. after3
337	V NI	E Bore Hole Diam	eter 10"in. to1	55'	ft., andin. toft.
" X 		WELL WATER	TO BE USED AS:	Public wa	ter supply Geothermal Injection well
sv	SWSE				
		Was a chemical	bacteriological sample	submitted t	o Department? Yes V No
S If yes, mo/day/yr sample was submitted					
Water well disinfected? ✓ Yes No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .5" in. to .125' ft., Diameter in. to					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 125' ft. to 155' ft., From ft., to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From					
From					
Grout Intervals: From .5' ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
✓ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
Direction from well North Distance from well 100'					
FROM 0	TO 2	LITHOLOG Top Soil	ilC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
2	25	Top Soil Brown Clay			
25	77	Brown Clay, Gypsum,	Cemented Sand		
77	85	Brown Clay, Few Sma			
85	98	Fine to Medium Sand Fine to Medium Sand	Comontod		
98	145	Brown Clay Streaks	Jementeu,		
145	155	Brown Clay, Lime Stor	e Streaks Hard		
		- in the second			
T CONTENA CEODES OF LANDOWNED S CEDEVEL CATION. This was all the state of the state					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .12-20-11 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 532 This Water Well Record was completed on (mo/day/year) 1243-124					
under the business name of Midwest Well & Pump Inc. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy					