WATER WELL RI			WWC-5		ision of Wate	,	Well ID Well	
✓ Original Record ☐  1 LOCATION OF WA			e in Well Use Fraction		ources App. Notion Number			
County: Gray	AIEK WEI	ıL;	SW 1/4 NW 1/4 SW 1/4		32	T 25 S	R 28 DE WW	
2 WELL OWNER: La	st Name:		First:				(if unknown, distance and	
Business: Cimarron C	Business: Cimarron Crossing Feeders LLC				direction from nearest town or intersection): If at owner's address, check here:			
Address: PO Box 349	)			Intersection of L & 15 Road, 1/2 mile West and 1/4 mile South.				
Address: City: Cimarron State: KS ZIP: 67835					0 0			
3 LOCATE WELL	4 DEDEE			320 0		37 8371	12 (decimal degrees)	
WITH "X" IN	Depth(c) G	OF CON	IPLETED WELL: Encountered: 1)1	π 87 e	. 5 Latiti	ide:	9105 (decimal degrees)	
SECTION BOX:	2)	ft.	3) ft., or 4)	Dry Well	Longitude: 100.419105 (decimal degrees)  Datum: ☑ WGS 84 □ NAD 83 □ NAD 27			
N	WELL'S S	TATIC WA	TER LEVEL:	3/ ft.	Source	Source for Latitude/Longitude:		
	☑ below	land surface	, measured on (mo-day	-yr) 10/28/201	G		)	
NW NE			, measured on (mo-day vater was		1	(WAAS enabled?		
			s pumping			and Survey   Topog	гарпіс імар	
"		Well v	vater was	ft.				
SW   SE	after	hour	s pumping	. gpm	6 Fleva	tion: 2765	t. 🗹 Ground Level 🗌 TOC	
S	Estimated Y	( ield:( !\! Diameter:	26 in. to 320	ft and	Source	: □ Land Survey □	GPS  Topographic Map	
1 mile	Bole Hole		in. to		-	Other KOLAR.	ore D tobographme	
7 WELL WATER TO	BE USED			***************************************				
1. Domestic:	5.	] Public Wa	ater Supply: well ID				lease	
Household			ig: how many wells?			11. Test Hole: well ID		
☐ Lawn & Garden ☐ Livestock	/. L 8 F	] Aquiter K ] Monitorin	echarge: well ID		_	sed □ Uncased □ ermal: how many bore		
2. Irrigation			al Remediation: well I			osed Loop		
3. ☐ Feedlot		] Air Sparg	e 🔲 Soil Vapor		b) O <sub>l</sub>	en Loop 🔲 Surface D	Discharge	
4. Industrial		Recovery	☐ Injection		13. 🔲 Ot	her (specify):		
Was a chemical/bacter			nitted to KDHE? 🗆	Yes 🛮 No	If yes, date	sample was submitt	ed:	
Water well disinfected?								
8 TYPE OF CASING	USED: □ S	Steel 🗹 PV	C Other	CASI	NG JOINTS	: 🗹 Glued 🗌 Clampe	ed Welded Threaded	
Casing diameter 16 Casing height above land s	In. to urface	. <u></u> 18 π.,	, Diameter	. in. to lbs/ft	π., Diam Wall thick	ness or gauge No. SD	π. R 21	
TYPE OF SCREEN OR	PERFORA	TION MA	TERIAL:		wan anor	ness of gaage 110		
_	less Steel	☐ Fibe			☐ Otl	er (Specify)		
_	anized Steel			used (open hol	e)			
SCREEN OR PERFORA	ATION OPE			orah Cut 🗆 I	Willad Holos	Other (Specify)		
Louvered Shutter				aw Cut	None (Open H	ole)		
SCREEN-PERFORATE	D INTERV	ALS: From	n . 160 ft. to .320	ft From	ft. to	ft., From	ft. to ft.	
GRAVEL PAC	CK INTERV	ALS: From	n 40 ft. to 32	0 ft., From	ft. to	ft., From	ft. to ft.	
9 GROUT MATERIA Grout Intervals: From	L: Neat	cement [	Cement grout 🛛 B	entonite 🔲 🤇	Other			
Grout Intervals: From		) <del></del>	ft., From	. ft. to	ft., From	ft. to	ft.	
Nearest source of possible contamination:  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines	_	Cess Pool	☐ Sewage L		Fuel Storage	<del></del>	doned Water Well	
☐ Watertight Sewer Lin		Seepage Pit	☐ Feedyard		Fertilizer Sto	rage 🔲 Oil W	ell/Gas Well	
Other (Specify) .N/A Direction from well? .N/A	\	• • • • • • • • • • • • • • • • • • • •	Distance from v			4	<b>a</b> .	
10 FROM TO		LITHOLO		FROM	ТО		or PLUGGING INTERVALS	
	ttached							
		- 0.0.5						
	-							
		-		Notes:				
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo-day-year) .10/28/2016 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 846 This Water Well Record was completed on (mo-day-year) .1.1/10/2016								
Kansas Water Well Con	tractor's Lic	ense No. : Nater We	연면 This W Il Service 보다	ater Well Re	cord was con	npleted on (mo-day-	year) .1.1(1)((ZV:1)	
under the business name	under the business name of Nash Water Well Service, LLC.  Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.							
KS Department of Health a	nd Environmer	it, Bureau of	Water, Geology Section, 1				367. Telephone 785-296-3565.	
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								

Form	WWC5			
Contractor	Nash Water Well Service, LLC			
Well Owner				
Doc ID	1321927			

## Litholgy

Littiolgy		
0	20	Top soil. Tan brown clay.
20	30	Red clay.
30	40	Tan/white clay & caliche.
40	60	Tan/white/red clay w/caliche
		& thin fine sand streaks.
60	80	Tan/white clay caliche. Fine tight
		sand & cemented sand streaks.
80	100	Tan clay, fine sand layers, tight cemented sand streaks.
100	120	Fine coarse sand, small/med gravel w/brown clay layers.
120	140	Fine coarse sand w/small medium gravel & brown clay.
140	160	Fine coarse sand w/brown clay layer streaks.
160	180	Fine medium sand w/brown clay layers.
180	200	Tan clay w/fine sand streaks.
200	220	Fine clay. Fine sand layers.
220	240	Fine sand.
240	280	Fine coarse sand.
280	300	Fine coarse sand w/small gravel streaks.
300	314	Fine coarse sand w/small medium

Form	WWC5			
Contractor	Nash Water Well Service, LLC			
Well Owner				
Doc ID	1321927			

## Litholgy

		medium and some large gravel.
314	320	Blue shale.