

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County Gray	Fraction SE 1/4 SE 1/4 SE 1/4	Section number 3	Township number T 25 S R 29 E/W	Range number
2. Distance and direction from nearest town or city: 5N, 2W of Ingalls, Kansas Street address of well location if in city:			3. Owner of well: C. H. Moore, c/o Doug Moon R.R. or street: 1610 Anderson City, state, zip code: Garden City, Kansas 67846		
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile			Sketch map: 660' W of the SE corner of the SE 1/4, Sec. 3, T25S, R29W, Gray County, Kansas		
5. Type and color of material			From	To	6. Bore hole dia. 28 in. Completion date _____ Well depth 280 ft. 7-28-77
Top soil			0	10	7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary
Tan clay			10	30	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
Fine to coarse sand clay streaks			30	89	9. Casing: Material STL Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP _____ PVC _____ Weight 37 lbs./ft. Dia. 16 in. to 158 depth Wall Thickness: inches or Dia. _____ in. to _____ ft. depth gage No. .219
Tan clay			89	106	10. Screen: Manufacturer's name Cook, Foster Doerr Louvered, w/w Type Millslot Dia. 16" Slot/gauze 1/8 Length 122 Set between 158 ft. and 280 ft. _____ ft. and _____ ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 3.3mm
Fine to medium sand			106	140	11. Static water level: 140 ft. below land surface Date 5/18/77 no./day/yr.
Tan clay			140	160	12. Pumping level below land surfaces: 228 ft. after 1 hrs. pumping 918 g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 700 g.p.m.
Fine to medium sand clay streaks			160	190	13. Water sample submitted: _____ no./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____
Tan clay			190	212	14. Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> Inches above grade
Fine to medium sand clay streaks			212	280	15. Well grouted? <input checked="" type="checkbox"/> With: _____ Neat cement <input checked="" type="checkbox"/> Bentonite _____ Concrete Depth: From 0 ft. to 10 ft.
Black shale			280	300	16. Nearest source of possible contamination: Unk ft. _____ Direction _____ Type _____ Well disinfected upon completion? <input checked="" type="checkbox"/> Yes _____ No
(Use a second sheet if needed)					17. Pump: Not installed Manufacturer's name Layne & Bowler Model number 12KL HP 125 Volts _____ Length of drop pipe 270 ft. capacity 700 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne-Western Co., Inc. 102 Business name _____ License No. _____ Address Garden City, Kansas Signed R. Vincent Date 8 Aug 77 Authorized representative		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley					

T
R
W
E
S
1/4
1/4
1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5