


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County FINNEY	Fraction SW 1/4 NE 1/4 SW 1/4	Section number 7	Township number T 25 S R 36	Range number 36
2. Distance and direction from nearest town or city: Garden City Street address of well location if in city:		Owner of well: Brookover Feedlot R.R. or street: RFD 1 City, state, zip code: Garden City, KS 67846				
4. Locate with "X" in section below: 		Sketch map:		6. Bore hole dia. 26 in. Completion date 9-20-76 Well depth 475 ft.		
5. Type and color of material		From	To	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 476 depth Wall thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. <input type="checkbox"/>		
				10. Screen: Manufacturer's name Johnson Screen Type Galv. Dia. 16" Slot/gauze <input type="checkbox"/> Length 20" Set between 420 ft. and 450 ft. Perf: 230-420 ft. and 450-475 ft. Gravel pack? yes Size range of material 1/2" Down		
				11. Static water level: <input type="checkbox"/> mo./day/yr. 114 ft. below land surface Date 9-2-76		
				12. Pumping level below land surfaces: 136 ft. after 3 hrs. pumping 1500 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1500 g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
				14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade		
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type field Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Goulds US Pumps Model number 12JHC HP 100 Volts <input type="checkbox"/> Length of drop pipe 205 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling 208 Business name Box A Garden City, KS License No. <input type="checkbox"/> Address <input type="checkbox"/> Signed [Signature] Date 9-2-76 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

The
Professionals

GARDEN CITY WEST
MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269

P.O. Box 493

GARDEN CITY, KANSAS 67846

DEPARTMENT
MINER COUNTY
6-4-76

CAC

Location: 7-25-32 Pilot
Static Water Level-100'

Log #1

0	18	Blue sand
18	1	Brown clay
1	5	Fine to med. sand and gravel
5	12	Brown clay
12	11	Fine to med. sand and gravel
11	215	Brown clay
215	232	Brown sandy clay with stks. of white rock
232	23	Fine to med. sand and gravel
23	21	Fine to med. sand and gravel 15' clay
21	23	Fine to med. sand and gravel
23	23	Brown sandy clay
23	17	Fine to med. sand and gravel with stks. of white rock
17		rock tight
17	175	Fine to med. sand and gravel
175	100	Brown and white rock and yellow clay
100	105	Shale

TD-675

13 ROCK 479'