WATER WELL RECORD  Form WWC-5  Division of Water Resources App. No.  LOCATION OF WATER WELL: County: FINNEY  Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here GARDEN CITY-8 M. S. TO PETE SMITHS RD, 5-1/3RDS M. E.,  Division of Water Resources App. No.  Section Number  25  T 25  S R 32  Global Positioning System (GPS) information: Latitude: 37.85225	<b>y</b> w
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here	<b>₹</b> W
from nearest town or intersection: If at owner's address, check here	
l , , , 100 70100	
	rees)
3 080 FT NORTH & 2 325 FT WEST Elevation:	
2 WATER WELL OWNER: OSIE MARIE KOEHN TRUST  Datum: WGS 84, NAD 83, NAD 27  Collection Method:	
RR#, Street Address, Box #: 1901 HARDING ST.	
City, State, ZIP Code : GARDEN CITY. KANSAS67846 Digital Map/Photo, Topographic Map, Land Su	vey
3 LOCATE WELL	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 350 ft.  SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)	
SECTION BOX:  N  Depth(s) Groundwater Encountered (1)	n.
Pump test data: Well water wasft. after hours pumping	gpm
EST. YIELDgpm. Well water wasft. afterhours pumping	pm
W   E   Bore Hole Diameter .30	
	ow)
☑ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes V No  If yes, mo/day/yr sample was submitted	
water well disinfected?   Yes   No	
5 TYPE OF CASING USED: Steel PVC Other	
CASING JOINTS: Glued Clamped Welded Threaded	
Casing diameter	ft.
Casing height above land surface	
✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)	
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot	
☐ Louvered shutter ☐ Key punched ☑ Wire wrapped ☐ Saw cut ☐ Other (specify)	İ
SCREEN-PERFORATED INTERVALS:         From	ft.
GRAVEL PACK INTERVALS: From 20 ft. to 110 ft., From 170 ft. to 350	ft.
From	ft.
6 GROUT MATERIAL: ☐ Neat cement ☑ Cement grout ☐ Bentonite ☐ Other  Grout Intervals: From . 0	<u>.</u>
What is the nearest source of possible contamination:	π.
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well N/A	
Direction from well	
FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERV	
SEE ATTACHED LOG	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \bigcirc\) constructed, \( \bigcirc\) reconstructed, or \( \bigcirc\) plug under my jurisdiction and was completed on (mo/day/year) .101712 and this record is true to the best of my knowledge and be	ed
Kansas Water Well Contractor's License No208 This Water Well Record was completed on (mo/day/year) .10-18-12	iei.
under the business name of MINTER-WILSON DRILLING CO., INC. by (signature) Mora Heller	
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send thre (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666	copies
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi	it us at
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212  Check: White Copy, Blue Copy, Pin	Copy

Irrigation 🤼 and Repairing

## **INCORPORATED**

Phone 620-276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

NAME

OSIE MARIE KOEHN

**TENANT - KELSAY UNRUH** 

COUNTY

FINNEY

DATE

5-19-12

LOCATION:

NE 1/4 25-25-32 - EAST END OF ANNE SHEAR ROAD - 3/4 MILE EAST

& 1/2 MILE SOUTHWEST AROUND CIRCLE

- SOUTHWEST EDGE OF CIRCLE

STATIC WATER LEVEL - 150 FT.

## TEST#2

49 8 8 35 July 2

0' TO 1' - TOP SOIL

1' TO 20' - BROWN SANDY CLAY

20' TO 33' - FINE TO MEDIUM SAND

WITH STRIPS OF CEMENTED SAND

33' TO 40' - BROWN SANDY CLAY

40' TO 115' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

115' TO 130' - BROWN SANDY CLAY

WITH STRIPS OF WHITE ROCK

130' TO 157' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

157' TO 173' - BROWN SANDY CLAY

173' TO 184' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN SANDY CLAY - 20%

184' TO 198' - BROWN SANDY CLAY

198' TO 206' - FINE TO MEDIUM SAND & GRAVEL

206' TO 210' - BROWN SANDY CLAY

210' TO 218' - FINE TO MEDIUM SAND & GRAVEL

218' TO 235' - BROWN SANDY CLAY

235' TO 257' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN CLAY - 25%

257' TO 275' - BROWN & GREEN CLAY

WITH A FEW STRIPS OF SAND

275' TO 287' - BROWN SANDY CLAY

287' TO 300' - FINE TO MEDIUM SAND & GRAVEL

300' TO 310' - FINE TO MEDIUM SAND & GRAVEL

WITH LAYERS OF BROWN SANDY CLAY - 20%

310' TO 330' - BROWN SANDY CLAY

330' TO 335' - FINE TO MEDIUM SAND & GRAVEL

335' TO 340' - HARD BROWN & WHITE CLAY - 250 PULL DOWN

340' TO 350' - SHALE - 250 PULL DOWN