

WATER WELL R ☐ Original Record ☐		WWC-5	1170			ion of Water	1		Wall ID	
1 LOCATION OF W.		e in Well Use Fraction				rces App. No on Number		rmahin Mumb	Well ID	a Number
County:	AIEK WELL:	1/4 1/4	1/4	1/4	Secu	on Number	100	wnship Numb T S	R R	nge Number □ E □ W
	N				Duro	1 Addross v	yboro w			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:										
Address:	direction from nearest town of intersection). If at owner is address, enter near in						check here.			
Address:										
City:	State:	ZIP:				1				
3 LOCATE WELL	4 DEPTH OF COM	PLETED WI	ELL:		ft	5 Latitud	de.			(decimal degrees)
WITH "X" IN	Depth(s) Groundwater				. ft. Longitude:					
SECTION BOX:	2) ft.	,								
11	WELL'S STATIC WA	TER LEVEL:		ft.					111111111111111111111111111111111111111	
	below land surface, measured on (mo-day-yr					GPS (unit make/model:)				
NWNB	above land surface,				••••	(WAAS enabled? ☐ Yes ☐ No)				
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map					
W E	after hours	vater was				Online Mapper:				
SW SE	after hours									
	Estimated Yield:			5P	6 Ele					d Level 🔲 TOC
S	Bore Hole Diameter:			. ft. and		Source: Land Survey GPS Topographic Ma				
mile		in. to		ft.			☐ Othe	er		• • • • • • • • • • • • • • • • • • • •
7 WELL WATER TO										
1. Domestic:	5. Public Wa									
Household	6. Dewaterin					11. Test Hole: well ID				
☐ Lawn & Garden ☐ Livestock	7. Aquifer Ro									
2. Irrigation	8. ☐ Monitorin 9. Environmenta							ow many bores p Horizont		
3. ☐ Feedlot	☐ Air Sparge			extraction	••••			□ Surface Di		
4. ☐ Industrial	☐ Recovery		_					ify):		
Was a chemical/bacter				Ves □ N	Jo I			was submitte		
Water well disinfected?		nica to KDII	ъ. Ц.	1 C31	10 1	ir yes, date	sample	was submitte	· · · · · · · · · · · · · · · · · · ·	
8 TYPE OF CASING		C \square Other		CA	SINC	G IOINTS:	□ Glue	ed \square Clamped	d □ Welde	d □ Threaded
Casing diameter										
Casing height above land s										
TYPE OF SCREEN OR							C			
☐ Steel ☐ Stain	less Steel		PVC			☐ Othe	er (Speci	fy)		
	anized Steel		None us	sed (open	hole)					
SCREEN OR PERFOR			_		_					
		auze Wrapped						r (Specify)		
SCREEN-PERFORATE	Key Punched W					ne (Open Ho		6 E	£ 4-	£,
	CK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
☐ Septic Tank	☐ Lateral Line	es 🔲 Pit 🛚	Privy		☐ Li	ivestock Pen	S	☐ Insection	cide Storage	;
☐ Sewer Lines	☐ Cess Pool	☐ Sew		goon		uel Storage		☐ Abando	oned Water	Well
☐ Watertight Sewer Lin					□ Fe	ertilizer Stor	age	☐ Oil We	ell/Gas Well	
☐ Other (Specify)										
			from we							CINTEDIALC
10 FROM TO	LITHOLOG	JIC LUG		FROM	1	TO 1	LITHO.	LOG (cont.) of	PLUGGIN	G INTERVALS
					-					
				Notes:						
110003										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction an	nd was completed on (m	no-dav-vear)		a	and th	is record is	true to	the best of m	v knowled	ge and belief.
Kansas Water Well Con	tractor's License No	T	his Wa	ter Well	Reco	rd was com	pleted of	on (mo-day-y	ear)	
under the business name	under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner			
Doc ID	1176243		

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	37	BROWN SANDY CLAY
37	83	FINE TO MED COARSE LARGE SAND FEW SMALL GRAVEL
83	90	FINE TO MED COARSE, LARGE SAND SMALL GRAVEL
90	118	MED TO COARSE
118	197	FINE TO MED COARSE, LARGE SAND FEW GRAVELS
197	223	FINE TO MED COARSE SOME LARGE SAND
223	241	MED TO COARSE LARGE SAND SMALL TO LARGE GRAVEL
241	259	FINE TO MED COARSE SAND, CLAY STRIPS
259	280	FINE TO MED COARSE SAND, CLAY STRIPS
280	297	FINE TO MED COARSE SAND, CLAY STRIPS
297	318	FINE TO MED COARSE SAND LIMESTONE STREAKS
318	341	FINE TO MED, COARSE SAND
341	363	FINE TO MED COARSE SAND LIMESTONE STRIPS

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner			
Doc ID	1176243		

Litholgy

From	То	LithologicLog
363		MULTICOLOR CLAY, LIMESTONE STRIPS
383		YELLOW CLAY, GREY SHALE
393	400	WEATHERED SHALE, VERY TIGHT SANDSTONE STRIPS