KOLAR Document ID: 1377909

	WELL R	ECORD Correction		WWC-5	Ise			ion of Wate			   Well II	<u> </u>	
Original Record Correction Change in Well Use  1 LOCATION OF WATER WELL: Fraction				Resources App. No.  Section Number Township Number					e Number				
County:						2001	T S R DE W						
	OWNER: La	st Name:		First:		Street or	Rura	l Address	whe	ere well is located		wn, d	
Business:						direction fi	irection from nearest town or intersection): If at owner's address, check here:						
Address:													
Address: City: State: ZIP:													
3 LOCATE	E WELL												
	WITH "X" IN SECTION POY.  Depth(s) Groundwater Encountered: 1)												
SECTION	N BOX:						— <b>8</b>						
N		WELL'S ST	ft. 3									AD 27	
		□ below l											,
NW	NE				measured on (mo-day-yr)			☐ GPS (unit make/model:					
	i	_		vater was ft.				☐ Land Survey ☐ Topogra					,
w	Е	after		s pumping gpm vater was ft.				☐ Online Mapper:					
SW	SE	ofter					am .						
l l ı x	1	Estimated Y		s pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TO				Level 🔲 TOC	
S		Bore Hole I			to	ft. and		Source:    Land Survey GPS			GPS 🔲	Top	ographic Map
1 m	ile				to					Other			
7 WELL W	VATER TO	BE USED A	AS:										
1. Domestic:			] Public Wa							eld Water Supply: 16			
Househ							11. Test Hole: well ID						•••
Lawn &													
☐ Livestoo			] Monitorin; nvironmenta										
3. ☐ Feedlot			] Air Sparge		Soil Vapor		••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wat					
4. ☐ Industri			Recovery		Injection					(specify):			
Was a chen	nical/bacter	iological san	nple subm	itted to K	DHE?	Yes $\square$ 1	No :	If yes, date	e sar	nple was submitte	d:		
		☐ Yes ☐			_	_		•		ı			
8 TYPE O	F CASING	USED: □ S	teel PV	C 🔲 Other		CA	SIN	G JOINTS	S: 🗆	Glued Clamped	l 🗌 Wel	ded	☐ Threaded
										in. to			
Casing height					ıt	lbs.	/ft.	Wall thick	kness	or gauge No		••	
		PERFORAT								7 (0)			
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	C	□ PVC	ised (open	hala)		her (	Specify)	• • • • • • • • • • • • • • • • • • • •		•••••
SCREEN O					☐ None (	iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrapp	ed □ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
_		☐ Key Puncl						ne (Open H					
SCREEN-PI	ERFORATE	D INTERV	ALS: From	1	ft. to	ft., Fro	m	ft. to	o	ft., From	ft.	to	ft.
GR	RAVEL PAC	K INTERV	ALS: Fron	1	ft. to	ft., Fro	m	ft. t	o	ft., From	ft.	to .	ft.
				_								• • • • •	
		It. to e contaminati		It., From		It. to	• • • • • • •	It., From	••••	ft. to	It.		
Septic T			Lateral Line	s F	Pit Privy			ivestock Pe	ens	☐ Insection	eide Stora	ıoe	
☐ Sewer L			Cess Pool		Sewage La	goon		uel Storage		☐ Abando			ell ell
	ght Sewer Lin		Seepage Pit		Feedyard	_		ertilizer Sto		☐ Oil We	ll/Gas W	ell	
			LITHOLOG		ance from w					ft. HO. LOG (cont.) or		INIC	INTERNALC
10 FROM	TO	1	TIHOLOG	JIC LUG		FRON	1	TO	LH	no. Log (cont.) of	PLUGG	ING	INTERVALS
													-
						<u></u>							
						1							
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wat	er Well Con	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was coi	mple	eted on (mo-day-y	ear)		
under the bu	under the business name of												
KS Denartm	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
_	Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212												

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1377909	

## Litholgy

Littloigy		
From	То	LithologicLog
0	2	surface
2	21	brown clay
21	40	sand fine to med coarse small gravel
40	134	sand fine to med coarse small to large gravel
134	139	blue-yellow clay
139	178	blue clay
178	196	blue clay, some blue sand
196	209	blue clay
209	219	brown clay, few sand
219	235	brown-white clay, limerock, cemented sand
235	244	sand fine to med few coarse
244	250	brown clay
250	259	sand fine to small few med
259	264	sand fine
264	275	sand fine clays mixed
275	288	sand fine
288	295	sand fine to small
295	309	sand fine to small med coarse few small gravel
309	317	brown clay
317	349	sand fine to small few med
349	356	brown clay

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1377909	

## Litholgy

From	То	LithologicLog
356	386	sand fine to small few med
386	398	brown clay, few sand
398	422	sand fine some clays
422	448	brown clay, few fine sand
448	461	sand fine to small few med few tiny brown and white rock
461	475	brown clay, limerock, cemented sand
475	494	soapstone, lime stone, few shale
494	510	grey shale, limestone