WATER WELL RECORD	Form WW	C-5	Division of Wate	r Resources; App. No.	11,568
1 LOCATION OF WATER WELL:	Fraction		Section Number	Township Number	
	NE 1/4 SW 1/4		22	T 25 S	R 33 EW
Distance and direction from nearest town or city street address of well if located within city? Garden City-7 M. S. on Hwy 83 to Latitude:					
located within city? Garden City-7 M. S. on Hwy 83 to Anne Shear RD., 2-3/4 M. W., 3930 Ft. N. & 4090 Ft.W. Latitude: Longitude:					
2 WATER WELL OWNER: M P Reeve Elevation:					
RR#, St. Address, Box # : PO Box			Datum:		
City, State, ZIP Code : Garden City, KS 67846 Data Collection Method:					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					
SECTION BOX: WELL'S STATIC WATER LEVEL207					
Pump test data: Well water wasft. after					
1 1 1 1 1 1					
WELL WATER TO BE 1 Domestic 3 Feed	flot 6 Oil fi	eld water su	pply 9 Dew	vatering 12 Otl	her (Specify below)
Irrigation 4 Inde					
SWSE					
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs Sample was submitted					
Sample was submitted					
5 TYPE OF CASING USED: 5 Wrought I	ron 8 Ce	oncrete tile	CASINO	G JOINTS: Glued	Clamped
1 Steel 3 RMP (SR) 6 Asbestos-	Cement 9 Ot	her (specify	below)	Welded	X
2 PVC 4 ABS 7 Fiberglass					
Blank casing diameter					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1) Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concr		SR) 10 A	Asbestos-Cement	12 None used (open	hole)
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From					
GRAVEL PACK INTERVALS: From					
· · · · · · · · · · · · · · · · · · ·					
6 GROUT MATERIAL: 1 Neat cement (2) Grout Intervals: From	Cement grout 3	Bentonite 190	4 Other	From	ft to ft
Grout Intervals: From					
1 Septic tank 4 Lateral lines		10 Livesto	ock pens 13 Ins	secticide storage	16 Other (specify
	8 Sewage lagoon	11 Fuel st		pandoned water well	below)
3 Watertight sewer lines 6 Seepage pit		12 Fertiliz	zer storage 15 Oil	l well/gas well N. & 130 ft. E.	
Direction from well?		FROM		PLUGGING INT	
TROW TO EITHOLOGIC	LOG	TROM	10	TECCOM TO IT	
See attached log					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged					
under my jurisdiction and was completed on (mo/day/year)2-27-08 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No 208 This Water Well Record was completed on (mo/day/year) 3-2-09					
under the business name of Minter-Wilson Drilling Co., Inc. by (signature) Norw Kelley INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone					
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.					

The Professionals MINTER-WILSON DRILLING CO. Under Systems Complete Installation Complete Installation

Irrigation and Repairing

INCORPORATED

Phone 620-276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

NAME

REEVE CATTLE CO. - CIRCLE #16

COUNTY

FINNEY

DATE

1-17-09

LOCATION:

NW 1/4 22-25-33 - PARALLEL & ANNIE SCHEER ROAD - 2 MILES

NORTH, 2-1/2 MILES EAST, 3/4 MILE NORTH

& 1/4 MILE WEST - WEST OF PIVOT

STATIC WATER LEVEL - 200 FT.

TEST #1

0' TO 1' - TOP SOIL

1' TO 11' - BROWN CLAY

11' TO 32' - BROWN SANDY CLAY

32' TO 40' - FINE TO MEDIUM SAND & GRAVEL

40' TO 59' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

59' TO 120' - BROWN CLAY

120' TO 135' - BROWN & BLUE CLAY

135' TO 226' - BLUE CLAY

226' TO 232' - BROWN CLAY

232' TO 256' - BROWN CLAY WITH GRAVEL STREAKS

256' TO 272' - FINE TO MEDIUM SAND & GRAVEL

272' TO 290' - FINE TO MEDIUM SAND & GRAVEL WITH CLAY STREAKS

290' TO 305' - FINE TO MEDIUM SAND & GRAVEL

305' TO 337' - BROWN CLAY

337' TO 351' - BROWN CLAY - SMALL FINE SAND STREAKS

351' TO 374' - FINE TO MEDIUM SAND & FINE GRAVEL - 10% CLAY

374' TO 391' - BROWN CLAY

391' TO 430' - BROWN SANDY CLAY

430' TO 436' - FINE TO MEDIUM SAND & GRAVEL-BROWN ROCK MIXED

436' TO 447' - BROWN YELLOW CLAY

447' TO 452' - YELLOW CLAY - HARD

452' TO 455' - SHALE - HARD