#17
Division of Water Resources App. No.

Check: White Copy, Blue Copy, Pink Copy

23,485

1 LOCATION OF WATER WELL: Fraction Section Number Township No. Range Number 14 SE 14 NW 14 SW 14 County: Finney 30 T 25 S R 33 □E **7**W Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: Latitude: .37.84829..... (in decimal degrees) from nearest town or intersection: If at owner's address, check here . Longitude: 100.98883 (in decimal degrees) From intersect. of River. Rd. & Holcomb Ln.; S 4 mi., W 1 mi., S 6 Elevation: 2953 mi., E 1 1/2 mi., N 1 Datum: ☐ WGS 84, ☐ NAD 83, ☑ NAD 27 WATER WELL OWNER: Wheatland Water Treatment Collection Method: RR#, Street Address, Box #: ☐ GPS unit (Make/Model: Magel./Triton 300 P.O. Box 953 City, State, ZIP Code ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Garden City, KS 67846-1078 3 LOCATE WELL 4 DEPTH OF COMPLETED WELL 485 ft. WITH AN "X" IN SECTION BOX: EST. YIELD......gpm. Well water was......ft. after...... hours pumping..........gpm - NW - --- NE --W WELL WATER TO BE USED AS: ✓ Public water supply ☐ Geothermal ☐ Dewatering ☐ Domestic ☐ Feedlot Oil field water supply Other (Specify below) **X**w - --- SE --☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well ..... ☐ Irrigation Was a chemical/bacteriological sample submitted to Department? 

Yes 

No If yes, mo/day/yr sample was submitted..... S ---1 mile-----| Water well disinfected? Yes No ▼ Steel ☐ PVC 5 TYPE OF CASING USED: ☐ Other ..... CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 16. in. to .485 ft., Diameter in. to ...... ft., Diameter in. to ..... ft. Casing height above land surface. 16 in., Weight 62.64 lbs./ft., Wall thickness or gauge No. ...375 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Brass ▼ Stainless Steel ☐ PVC ☐ None used (open hole) Other (Specify) ☐ Galvanized Steel SCREEN OR PERFORATION OPENINGS ARE: What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Direction from well .53ct ☐ Distance from well .222.Feet.... ☐ Insecticide storage

✓ Abandoned water well Distance from well ... 222. Feet...... FROM TO LITHOLOGIC LOG FROM LITHO. LOG (cont.) or PLUGGING INTERVALS TO 0' 380' 399' Sand Fine, few Clay Blow Sand Sand Fn. to Sml., few thin Clays 1' 37' 399' 421' Fine Sand 37' 57' Brown Clay, Sands 421' 435' Brown Clay - Sticky 57' 220' Sand Fn. to Md. Crs. to Lrg. Grvl., Brown Clay, Sands - Fairly Loose 453' 435' 479 Sand Fine, thin Clays Cobblestone (Cemented) 453' 485 Sand Fn. to Md. Crs., some Sml. Grv 479' Sandstone (tight), Soapstone 220' 264' Brown - White Clay 264' 275' Sand Fn. to Md. Crs., Few Sml. Grvl 320' 275' 336 320' Brown - White Clavs 380' Sand Fn. to Sml. Md. few Crs. 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \sqrt{\omega} \) constructed, \( \sqrt{\omega} \) reconstructed, or \( \sqrt{\omega} \) plugged under my jurisdiction and was completed on (mo/day/year) .9/.18/09...... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145...... This Water Well Record was completed on (mo/day/year) 19/05/09...... under the business name of Henkle Drilling & Supply Co. Inc. by (signature) Built Mulling INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.

Form WWC-5

WATER WELL RECORD

KSA 82a-1212