

WATER WELL R		** ** C-3	00370		ion of Water		W 11 ID	
		ge in Well Use			rces App. No.		Well ID	N. 1
1 LOCATION OF W	ATER WELL:	Fraction	1/. 1/.	Secti	on Number	Township Numb		ge Number
County:			1/4		T S	R	□ E □ W	
				reet or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest town or intersection): If at owner's address, check here:							
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	PI FTFD WELL	•	ft	5 Letitud	n•		(daaimal daamaaa)
WITH "X" IN	Depth(s) Groundwater 1			8,				
SECTION BOX:		3) ft., or 4)						
N	WELL'S STATIC WA							AD 21
	below land surface.					(unit make/model:)
NW NE	above land surface,	, measured on (mo-da	ıy-yr)		(WAAS enabled? ☐ Yes ☐ No)			
	Pump test data: Well w			☐ Land Survey ☐ Topographic Map				
W E		s pumping		☐ Online Mapper:				
SW SE		vater was						
	Estimated Yield:	s pumping	gpm		6 Elevation :ft. ☐ Ground Level ☐ '			Level TOC
S	Bore Hole Diameter:		ft and			☐ Land Survey ☐		
mile		in. to				Other		
7 WELL WATER TO								
1. Domestic:		ater Supply: well ID.			10. □ Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells?				le: well ID		
☐ Lawn & Garden		echarge: well ID				d Uncased		
Livestock		g: well ID				mal: how many bore		
2. Irrigation		al Remediation: well				ed Loop Horizon		
3. ☐ Feedlot	☐ Air Sparge		r Extraction	1		Loop Surface D		
4. Industrial	Recovery					r (specify):		
Was a chemical/bacter		nitted to KDHE?	☐ Yes ☐	No l	If yes, date sa	ample was submitte	ed:	
Water well disinfected?								
8 TYPE OF CASING								I ☐ Threaded
Casing diameter								
Casing height above land s			lbs	./ft.	Wall thickne	ss or gauge No	•••••	
TYPE OF SCREEN OR						(C :C)		
	less Steel			, hala)	☐ Other	(Specify)	•••••	
☐ Brass ☐ Galva SCREEN OR PERFORA			e used (open	i noie)				
			Torch Cut	□ Dri	lled Holes - [Other (Specify)		
	☐ Key Punched ☐ W				ne (Open Hole			
SCREEN-PERFORATE	ED INTERVALS: From	n ft. to	ft., Fr	om	ft. to	ft., From	ft. to	ft.
	CK INTERVALS: From							
9 GROUT MATERIA								
Grout Intervals: From								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines	Cess Pool	☐ Sewage I			uel Storage		oned Water V	Well
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify)								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		GINTERVALS
10 11(01)1	EIIIOEO	310 200	T RO	.,,	10 2	THO. LOG (cont.) o	I Le Gon (SHYPERYPES
Notes:								
11 CONTRACTOR'S	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged						or plugged	
under my jurisdiction an	under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Con	tractor's License No	This V	vater Well	Keco	rd was comp	ieted on (mo-day-y	ear)	•••••
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Eugene Einsel	
Doc ID	1266578	

Litholgy

From	То	LithologicLog	
0	2	top soil	
2	19	fine sand w/ few clay stringers	
19	40	brown sandy clay	
40	76	sand fine to med coarse small med large gravel	
76	103	brown sandy clay w/ couple sand strips	
103	137	sand fine to med coarse	
137	160	blue clay	
160	172	fine sand blue in color	
172	178	light blue clay	
178	215	brown sandy clay w/ few fine sand strips	
215	238	fine sad w/ some clay stringers	
238	262	sand fine to med coarse	
262	271	brown sandy clay w/ many sand strips	
271	300	sand fine to med coarse w/ couple clay stringers	
300	317	sand fine to med w/ few small clay stringers	
317	341	brown sandy clay w/ many small fine sand strips	
341	358	sand fine to med w/ many clay strigners	
358	390	brown sandy clay	

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Eugene Einsel	
Doc ID	1266578	

Litholgy

From	То	LithologicLog
390	411	fine sand w/ couple clay stringers
411	472	sandstone
472	480	shale