

WATER WELL RECORD Form WWC-5

Original Record
 Correction
 Change in Well Use

Division of Water Resources App. No. []

Well ID []

1 LOCATION OF WATER WELL: County: Finney	Fraction SW ¼ NE ¼ NE ¼ NE ¼	Section Number 27	Township Number T 25 S	Range Number R 33 <input type="checkbox"/> E <input checked="" type="checkbox"/> W				
2 WELL OWNER: Last Name: Martinez First: Alfonso Business: K & L Tank Address: PO Box 821 Address: City: Garden City State: KS ZIP: 67846		Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: <input type="checkbox"/> From intersection West Rd & Annie Scheer west 1.81 miles then south 600'						
3 LOCATE WELL WITH "X" IN SECTION BOX: N <table border="1" style="width: 100%; height: 100px; border-collapse: collapse;"><tr><td style="width: 50%;">NW</td><td style="width: 50%;">NE</td></tr><tr><td>SW</td><td>SE</td></tr></table> S -----1 mile-----	NW	NE	SW	SE	4 DEPTH OF COMPLETED WELL: 460 ft. Depth(s) Groundwater Encountered: 1) 280 ft. 2) ft. 3) ft., or 4) <input type="checkbox"/> Dry Well WELL'S STATIC WATER LEVEL: 280 ft. <input checked="" type="checkbox"/> below land surface, measured on (mo-day-yr) 11/29/2019 <input type="checkbox"/> above land surface, measured on (mo-day-yr) Pump test data: Well water was ft. after hours pumping gpm Well water was ft. after hours pumping gpm Estimated Yield: ... 50 gpm Bore Hole Diameter: ... 10.5 in. to ... 400 ft. and in. to ft.		5 Latitude: 37.857103 (decimal degrees) Longitude: 100.921960 (decimal degrees) Datum: <input checked="" type="checkbox"/> WGS 84 <input type="checkbox"/> NAD 83 <input type="checkbox"/> NAD 27 Source for Latitude/Longitude: <input type="checkbox"/> GPS (unit make/model:) (WAAS enabled? <input type="checkbox"/> Yes <input type="checkbox"/> No) <input type="checkbox"/> Land Survey <input type="checkbox"/> Topographic Map <input type="checkbox"/> Online Mapper:	
	NW	NE						
SW	SE							
7 WELL WATER TO BE USED AS: 1. Domestic: <input type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input checked="" type="checkbox"/> Livestock 2. Irrigation <input type="checkbox"/> Feedlot <input type="checkbox"/> Industrial 5. <input type="checkbox"/> Public Water Supply: well ID 6. <input type="checkbox"/> Dewatering: how many wells? 7. <input type="checkbox"/> Aquifer Recharge: well ID 8. <input type="checkbox"/> Monitoring: well ID 9. Environmental Remediation: well ID <input type="checkbox"/> Air Sparge <input type="checkbox"/> Soil Vapor Extraction <input type="checkbox"/> Recovery <input type="checkbox"/> Injection 10. <input type="checkbox"/> Oil Field Water Supply: lease 11. Test Hole: well ID <input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical 12. Geothermal: how many bores? a) Closed Loop <input type="checkbox"/> Horizontal <input type="checkbox"/> Vertical b) Open Loop <input type="checkbox"/> Surface Discharge <input type="checkbox"/> Inj. of Water 13. <input type="checkbox"/> Other (specify):		6 Elevation: 2920 ft. <input checked="" type="checkbox"/> Ground Level <input type="checkbox"/> TOC Source: <input type="checkbox"/> Land Survey <input type="checkbox"/> GPS <input type="checkbox"/> Topographic Map <input checked="" type="checkbox"/> Other KOLAR						
Was a chemical/bacteriological sample submitted to KDHE? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, date sample was submitted:								
Water well disinfected? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No								
8 TYPE OF CASING USED: <input type="checkbox"/> Steel <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other CASING JOINTS: <input type="checkbox"/> Glued <input checked="" type="checkbox"/> Clamped <input type="checkbox"/> Welded <input type="checkbox"/> Threaded Casing diameter 6 in. to 460 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in. Weight lbs./ft. Wall thickness or gauge No. SDR17								
TYPE OF SCREEN OR PERFORATION MATERIAL: <input type="checkbox"/> Steel <input type="checkbox"/> Stainless Steel <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Brass <input type="checkbox"/> Galvanized Steel <input type="checkbox"/> None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: <input type="checkbox"/> Continuous Slot <input type="checkbox"/> Mill Slot <input type="checkbox"/> Gauze Wrapped <input type="checkbox"/> Torch Cut <input type="checkbox"/> Drilled Holes <input type="checkbox"/> Other (Specify) <input type="checkbox"/> Louvered Shutter <input type="checkbox"/> Key Punched <input type="checkbox"/> Wire Wrapped <input checked="" type="checkbox"/> Saw Cut <input type="checkbox"/> None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 280 ft. to 460 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 0 ft. to 5 ft., From 50 ft. to 460 ft., From ft. to ft.								
9 GROUT MATERIAL: <input type="checkbox"/> Neat cement <input type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Other Grout Intervals: From 5 ft. to 50 ft., From ft. to ft., From ft. to ft.								
Nearest source of possible contamination: No potential source of contamination within 200 ft. <input type="checkbox"/> Septic Tank <input type="checkbox"/> Lateral Lines <input type="checkbox"/> Pit Privy <input type="checkbox"/> Livestock Pens <input type="checkbox"/> Insecticide Storage <input type="checkbox"/> Sewer Lines <input type="checkbox"/> Cess Pool <input type="checkbox"/> Sewage Lagoon <input type="checkbox"/> Fuel Storage <input type="checkbox"/> Abandoned Water Well <input type="checkbox"/> Watertight Sewer Lines <input type="checkbox"/> Seepage Pit <input type="checkbox"/> Feedyard <input type="checkbox"/> Fertilizer Storage <input checked="" type="checkbox"/> Oil Well/Gas Well <input type="checkbox"/> Other (Specify) Direction from well? ... W Distance from well? 800 ft.								
10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS			
Attached	Attached	Attached						
			Notes:					

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) **11/26/2019** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **846** This Water Well Record was completed on (mo-day-year) **12/12/2019** under the business name of **Nash Water Well Service, LLC**

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.
 KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.
 Visit us at <http://www.kdheks.gov/waterwell/index.html> KSA 82a-1212

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Alfonso Martinez
Doc ID	1484198

Lithology

From	To	Lithologic Log
0	50	FINE MEDIUM SAND
50	75	TAN CLAY WITH FINE COARSE SAND
		& SMALL MEDIUM GRAVEL
75	140	FINE COARSE SAND WITH SMALL
		TO LARGE GRAVEL
140	170	TAN BROWN GRAY CLAY WITH
		FINE SAND STREAKS
170	250	GRAY BLUE CLAY
250	270	GRAY CLAY WITH GRAY FINE SAND
270	280	FINE COARSE SAND WITH TAN CLAY
280	330	FINE MEDIUM SAND WITH TAN CLAY
330	355	FINE COARSE SAND
355	360	TAN WHITE CLAY & CALICHE
		WITH FINE SAND & ROCK LAYERS
360	380	FINE MEDIUM SAND WITH TAN &
		WHITE CLAY CALICHE
380	390	TAN YELLOW GRAY BLUE CLAY

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Alfonso Martinez
Doc ID	1484198

Lithology

From	To	Lithologic Log
		WITH FINE COARSE SAND STREAKS
390	430	FINE COARSE SAND WITH TAN CLAY STREAKS
430	440	TAN CLAY FINE SAND
440	455	FINE MEDIUM SAND WITH TAN CLAY
455	480	YELLOW TAN GRAY BROWN CLAY
		WITH THIN FINE SAND & THIN ROCK LAYERS

1484198
1484198
1484198