KOLAR Document ID: 1594094

	WELL R	ECORD Correction		WWC-5			ivision of Wate sources App. I			 Well II	
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				ection Number		Township Numb		ange Number			
County: 14 14 14											
·						Street or R	ural Address	whe	ere well is located		
				direction from	n nearest town o	r inte	rsection): If at owner	r's addres	s, check here:		
Address: Address:											
City:			State:	ZIP:							
3 LOCATE	E WELL						_				
WITH "Y				IPLETED WE					:		
SECTIO	N BOX:			Encountered: 1).					le:		
N				3) ft., o TER LEVEL:							
				measured on (mo				Source for Latitude/Longitude: GPS (unit make/model:)			
NW	NE			measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No)			
	ī	_		ater was				☐ Land Survey ☐ Topographic Map			
w	E	after		pumpinggpm				☐ Online Mapper:			
SW	SE	ofter		ater was							
ليلا	1	Estimated Y		pumping gpm			6 Eleva	6 Elevation :ft. ☐ Ground Level ☐ TOC			
S	<u> </u>			sp in. to		ft. and	Source	Source: Land Survey GPS Top			Topographic Map
1 m	ile			in. to					Other		
7 WELL V	VATER TO	BE USED A	AS:								
1. Domestic:				ter Supply: well					eld Water Supply: 16		
Househ				g: how many wel							
Lawn &				echarge: well ID							
☐ Livesto 2. ☐ Irrigation				g: well ID al Remediation: v							
3. ☐ Feedlot] Air Sparge		l Remediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
4. 🔲 Industri			Recovery	☐ Injecti	_		13. Other (specify):				
Was a chen	nical/bacteri	iological san	nple subm	itted to KDHE	? □	Yes □ No	If yes, dat	e saı	mple was submitte	:d:	
	disinfected?					_	3		1		
8 TYPE O	F CASING	USED: □ S	teel PV	C 🗌 Other		CAS	ING JOINTS	S: [Glued Clamped	d 🔲 Weld	led Threaded
									· in. to		
	t above land s					lbs./ft	Wall thic	kness	s or gauge No		•
	CREEN OR		TION MA						a		
☐ Steel ☐ Brass	_	less Steel anized Steel		□ P		ised (open ho		her (Specify)		
	R PERFOR		NINGS AI		vone u	iseu (open no	ne)				
☐ Continu		☐ Mill Slot			ПТо	orch Cut \square	Drilled Holes	П	Other (Specify)		
_		☐ Key Puncl					None (Open I				
SCREEN-P	ERFORATE	D INTERV	ALS: From	n ft. to .		ft., From	ft. t	o	ft., From	ft.	to ft.
GF	RAVEL PAC	K INTERV	ALS: Fron	n ft. to .		ft., From	ft. t	o	ft., From	ft.	to ft.
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage											
☐ Sewer L			Cess Pool				Fuel Storage		☐ Abando		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
Other (Specify)											
Direction from well? Distance from well? ft.							NG DIFFERILLI				
10 FROM	TO	1	THOLOG	FIC LOG		FROM	TO	LH	HO. LOG (cont.) of	PLUGGI	NGINTERVALS
							+ +				
						Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Wat	er Well Con	tractor's Lice	ense No	Th	is Wa	ater Well Re	ecord was con	mple	eted on (mo-day-y	ear)	
under the bu	isiness name	of	****	TI I OWN							
under the business name of											
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1594094

Lithology

From	То	LithologicLog
0	2	top soil
2	31	fine sand
31	34	brown sandy clay
34	85	fine med coarse sand small med large gravel
85	111	fine med coarse sand small med large gravel w/ few clay layers
111	130	brown sandy clay
130	204	blue clay
204	210	brown clay
210	234	fine med coarse sand
234	241	blue clay
241	279	fine med coarse sand w/ many blue clay layers
279	303	fine med coarse sand few small gravel
303	314	fine med coarse sand w/ few clay stringers
314	343	brown sandy clay & fine sand
343	359	fine med sand
359	374	brown sandy clay & fine sand
374	380	fine sand coarse sand
380	390	fine sand & some clay layers
390	405	fine med coarse sand

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1594094

Lithology

From	То	LithologicLog
405	414	brown sandy clay & some fine sand
414	427	brown clay
427	445	fine med sand
445	454	soapstone
454	517	sandstone & soapstone
517	540	blue shale