WATEI	R WEL	L RECORD	Form W	WC-5	Division of Wa	ter Resources App. N	lo.	
	ATION ty: FIN	OF WATER WELL: INEY	Fraction ¹ / ₄ SW ¹ / ₄ NE	1/4 NW 1/4	Section Number 35	Township No. T 25 S	Range Number R 34 □E 🗹W	
Street	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:		
	from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)		
	FROM BRIDGE SOUTH OF HOLCOMB - 4 M S, 1 M W, 6 M S,			Longitude: (in decimal degrees) Elevation:				
	4,197 FT. NORTH & 3,676 FT. WEST				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: WHEATLAND ELECTRIC COOP INC					Collection Method:			
RR#, Street Address, Box #: PO BOX 230 City, State, ZIP Code : SCOTT CITY KS 67871				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City,	, 5000, 2.	SCOTT	CITY, KS 67871		Est. Accuracy:	<3 m, ☐ 3-5 m, ☐] 5-15 m, \square >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 422 ft.								
5201	Depth(s) Groundwater Encountered (1)							
[]	Pump test data: Well water wasft. after hours pumping							
EST. YIELDgpm. Well water was						nping gpm		
W Bore Hole Diameter36								
Domestic Feedlet Oil field water supply Deveatoring Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
water went distincted: W 105 140								
5 TYPE OF CASING USED: ✓ Steel □ PVC □ Other CASING JOINTS: □ Glued □ Clamped ✓ Welded □ Threaded								
Casing diameter 16 in to BELOW ft., Diameter in to ft., Diameter in to ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☑ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 242 ft. to 353 ft., From 381 ft. to 416 ft.								
From ft. to ft. From ft. to ft.								
GRAVEL PACK INTERVALS: From 40 ft. to 207 ft., From 227 ft. to 422 ft.								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☑ Cement grout ☑ Bentonite ☐ Other Grout Intervals: From 0 ft. to 25 ft., From 25 ft. to 40 ft., From 207 ft. to 227 ft.								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☑ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐								
Direc	ction fron	n well SOUTHWEST				T. S. & 284 FT. W		
FROM	ТО	LITHOLOG	IC LOG	FROM	TO LITHO.	LOG (cont.) or PLU	JGGING INTERVALS	
0	242	PLAIN CASING						
242 353	353 381	STAINLESS STEEL SO PLAIN CASING	CREEN					
381	416	STAINLESS STEEL SO	CREEN		SEE A	TTACHED LOG		
416	422	PLAIN CASING	JILLIA		OLL A	TAONED LOG		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) 6-8-09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 208. This Water Well Record was completed on (mo/day/year) 6-9-09.								
under the business name of MINTER-WILSON DRLG. CO., INC. by (signature) MUNTER-WILSON DRLG. CO., INC. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								

MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic and Repairing

INCORPORATED

Phone 276-8269

P.O. Box A

GARDEN CITY, KANSAS 67846

NAME

WHEATLAND ELECTRIC

COUNTY

FINNEY

DATE

12-20-07

LOCATION: NW 1/4 35-25-34 - SOUTH ON HOLCOMB LANE - 10 MILES,

1/2 MILE WEST, 1/4 MILE SOUTH & 1/4 MILE WEST - 187 FT. NORTH & 194 FT. EAST OF EXISTING WELL

#16 TH - 21-07NE

STATIC WATER LEVEL - 227 FT.

1' - TOP SOIL 0' TO

1' TO 24' - FINE SAND - LOOSE

24' TO 32' - BROWN CLAY

32' TO 65' - FINE TO MEDIUM SAND & GRAVEL

65' TO 130' - MEDIUM COARSE GRAVEL

130' TO 154' - BROWN CLAY

154' TO 250' - MEDIUM COARSE GRAVEL

250' TO 276' - BROWN CLAY WITH GRAVEL STREAKS

276' TO 292' - FINE TO MEDIUM SAND

292' TO 356' - FINE SAND

356' TO 365' - BROWN CLAY WITH STREAKS OF GRAVEL

365' TO 390' - BROWN CLAY

390' TO 415' - FINE SAND

415' TO 451' - BROWN CLAY WITH STREAKS OF GRAVEL

451' TO 468' - BROWN CLAY - SANDY

468' TO 473' - BROWN ROCK

473' TO 486' - YELLOW CLAY

486' TO 500' - GRAY SHALE AND BLACK SHALE - HARD PULL DOWN