WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.			21,387
1 LOCATION OF WATER WELL:		Fraction		Section Numb	er Towns	ship No.	Range Number
County: FINNEY Street/Rural Address of Well Location; i		1/4 NE 1/4 NE		7		25 S	R 34 □E ☑W
from nearest town or intersec		Global Positioning System (GPS) information: Latitude:					
BRIDGE S OF HOLCOMB-4 M S, 1 M W, 2 M S, 4 M W,				Longitude: (in decimal degrees)			
2,235 FT. NORTH & 370 FT. WEST				Elevation:			
2 WATER WELL OWNER	: WHEAT	LAND ELECTRIC C	COOP INC	Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #	(230		GPS unit (Make/Model:)				
City, State, ZIP Code	SCOTT	CITY, KS 67871	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL			400		•	3 3 m,	J 15 III,
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 420 ft. SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.							
SECTION BOX: Depth(s) Groundwater Encountered (1)							
Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELD							
Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No If yes, mo/day/yr sample was submitted							
Water well disinfected? Yes No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped M Welded Threaded							
Casing diameter .16 in. to .285 ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface12							
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement							
Grout Intervals: From U ft. to ZU ft., From Z10 ft. to 420 ft., From ft. to ft.							
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well N/A Direction from well							
	ITHOLOG	IC LOG	FROM				IGGING INTERVALS
OFF ATTAO	UEDIOC						
SEE ATTAC	HED LOG						

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .1-13-11 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 208. This Water Well Record was completed on (mo/day/year) 1-17-11 under the business name of MINTER-WILSON DRILLING CO., INC. by (signature) Mara Heller							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy							

The Trofessionals WINTER-WILSON DRILLING CO. Water Systems Complete Installation and Domestic Water Systems Complete Installation and Panairing

and Repairing

INCORPORATED

P.O. Box A . GARDEN CITY, KANSAS 67846 Phone 620-276-8269 •

NAME

HARTLAND FARMS - CIRCLE # F10

COUNTY

FINNEY

DATE

6-2-10

LOCATION:

SE 1/4 7-25-34 - COUNTY LINE & CRIST ROAD - 1/2 MILE EAST

& 1-1/2 MILES SOUTH

- NORTHEAST EDGE OF CIRCLE

STATIC WATER LEVEL - 260 FT.

TEST #2

0' TO 19' - FINE SAND

19' TO 33' - BROWN SANDY CLAY WITH STRIPS OF SAND

33' TO 70' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE WITH STRIPS OF BROWN CLAY

70' TO 93' - BROWN SANDY CLAY

93' TO 104' - FINE TO MEDIUM SAND & GRAVEL

104' TO 123' - BROWN SANDY CLAY

WITH STRIPS OF WHITE ROCK, SAND & GRAVEL

123' TO 147' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN SANDY CLAY

147' TO 198' - BROWN SANDY CLAY WITH LAYERS OF GRAVEL

198' TO 218' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN SANDY CLAY

218' TO 240' - BROWN SANDY CLAY WITH STRIPS OF GRAVEL

240' TO 245' - SANDY BLUE CLAY WITH STRIPS OF SAND & GRAVEL

245' TO 258' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN & BLUE CLAY 20%

258' TO 273' - BLUE & BROWN CLAY WITH STRIPS OF GRAVEL 10%

273' TO 285' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BLUE CLAY 10%

285' TO 292' - FINE TO MEDIUM SAND & GRAVEL

WITH LAYERS OF BLUE CLAY & WHITE ROCK 40%

292' TO 303' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN CLAY 20%

303' TO 325' - BROWN SANDY CLAY WITH STRIPS OF SAND & GRAVEL 15%

325' TO 339' - FINE TO MEDIUM SAND

WITH STRIPS OF BROWN SANDY CLAY 20% & WHITE ROCK

339' TO 348' - FINE TO MEDIUM SAND & GRAVEL ,

348' TO 360' - BROWN STICKY CLAY

360' TO 381' - BROWN SANDY CLAY

381' TO 385' - FINE SAND

385' TO 403' - BROWN CLAY

403' TO 408' - FINE TO MEDIUM SAND

408' TO 416' - BROWN SANDY CLAY

416' TO 425' - HARD BROWN, YELLOW & WHITE CLAY

WITH 10% BROWN ROCK - 200 PULL DOWN

425' TO 440' - SHALE - 200 PULL DOWN