WATER WELL	RECORD	Form W	WC-5	Divi	sion of Water	Resources App. No	21,386	
	F WATER WELL:	Fraction	11 C-3		Number	Township No.	Range Number	
County: FINNE	Υ	1/4 NE 1/4 SW		1	5	T 25 S	R 34 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
SOUTH SIDE OF HOLCOMB - 4 M S, 1 M W, 1 M S, 3 M W,				Longitude: (in decimal degrees) Elevation:				
3,900 FT. NORTH & 4,020 FT. WEST					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: WHEATLAND ELECTRIC COOP					Collection Method:			
RR#, Street Address, Box #: POBOX 230 City, State, ZIP Code : SCOTT CITY KANSAS 67871				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, Zir	Code : SCOTT	CITY, KANSAS 678	71	Est Acc	gitai Map/Ph	oto, 📋 Topograpni 3 m. 🔲 3-5 m. 🗍	5-15 m,	
3 LOCATE WELI	7 T,		400			<u>Laid * * * ***</u>		
WITH AN "X" I		COMPLETED WELI				6 (	(2)	
SECTION BOX: Depth(s) Groundwater Encountered (1)								
<del>- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1</del>	Pumr	test data: Well water	r was	ft. a	after	hours pum	pinggpm	
EST. YIELDgpm. Well water wasft. after hours pumping							ping gpm	
w X	E   Bore Hole Dian	neter30in. to						
WELL WATER TO BE USED AS:  Public water supply  Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
SW  SE								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
1 mile	Water well disi	nfected? Yes 🔽	No					
5 TYPE OF CAS	ING USED: 🗹 Stee	l DPVC D	Other			••••		
CASING JOINTS: Glued Clamped W Welded Threaded								
Casing diameter16 in. to .290 ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)  Louvered shutter  Key punched  Swire wrapped  Saw cut  Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEI	L PACK INTERVALS:							
6 GROUT MATI	FRIAL.   Neat cem	ent Cement grout					to ft.	
Grout Intervals:	From 0 ft. t	o 20 ft. From	200	ft. to .26	0 ft	From	ft. toft.	
What is the neares	t source of possible cont							
☐ Septic tank       ☐ Lateral lines       ☐ Pit privy       ☐ Livestock pens       ☐ Insecticide storage       ☐ Other (specify below)         ☐ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☐ Fuel storage       ▼ Abandoned water well							her (specify below)	
Sewer line Watertight	s Cesspool sewer lines Seepage		☐ Fuel storag ☐ Fertilizer s		Abandoned  Oil well/ga			
Direction from	well NORTHEAST	orenensamica dan						
FROM TO	LITHOLO	GIC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PLU	UGGING INTERVALS	
		·				·		
		<del>yan makai ka </del>						
	SEE ATTACHED LOG		-					
						·		
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						
					*****			
							The state of the s	
# CONTRACTOR	DIG OD Y LYND CYCLE	Did Coppositive ( Tree	NI OU		. 🖂 .	, 1 P		
/ CUNTRACTO	R'S OR LANDOWNE ion and was completed	n (moldershape) 5.0	N: This was	er well w	as 🖊 consti	ructed, L reconst	ructed, or   plugged	
Kansas Water We	lon and was completed ll Contractor's License l	on (mo/day/year) .Y9.	γ	nu uns rec Record wa	cora is irue is complete	to the best of my	r) 5-13-13	
under the business	name ofMINTER-W	/ILSON DRILLING C	O. INC.	by (si	gnature) 1.1	ora Keller	*************	
INSTRUCTIONS: U	se ty pewriter or ball point pe	n. PLEASE PRESS FIRML	Y and PRINT c	early. Pleas	se fill in blank	s and check the corre	ect answers. Send three copies	
(white, blue, pink) to Telephone 785-296-5	Kansas Depar tment of Healt 524. Send one convito WA	h and E nyironment, Bureau TER WELL OWNER and	of Water, Geo	logy Section your record	n, 1000 SW Ja ls. Include fe	ackson St. , Suite 420, se of \$5.00 for each o	Topeka, Kansas 666 12-1367.	
http://www.kdheks.go	v/waterwell/index.html	o			the second control of the second	The state of the s		
KSA 82a-1212	man market of the Mark.			Che	eck: 🗹 W	hite Copy, 🔲 B	lue Copy, Pink Copy	

Đ

## Professionals MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic and Repairing

INCORPORATED

GARDEN CITY, KANSAS 67846 Phone 620-276-8269 P.O. Box A .

NAME

WHEATLAND ELECTRIC - CIRCLE # F1

COUNTY DATE

FINNEY 3-20-13

LOCATION:

NW 1/4 5-25-34 - COUNTY LINE & CRIST ROAD - 1-1/2 MILES EAST,

1/4 MILE SOUTH & 1/4 MILE WEST

- 100 FT. WEST OF PIVOT

STATIC WATER LEVEL -

## TEST#1

0' TO 1' - TOP SOIL

1' TO 34' - BROWN SANDY CLAY

34' TO 64' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

64' TO 86' - BROWN CLAY

86' TO 115' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

115' TO 130' - BROWN CLAY

130' TO 172' - FINE TO MEDIUM SAND & GRAVEL

172' TO 196' - BROWN & BLUE CLAY

196' TO 227' - FINE TO MEDIUM SAND & GRAVEL

227' TO 257' - BLUE CLAY

257' TO 280' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY

280' TO 319' - BROWN CLAY

319' TO 326' - FINE TO MEDIUM SAND & FINE GRAVEL

326' TO 336' - BROWN SANDY CLAY

336' TO 346' - FINE TO MEDIUM SAND

346' TO 351' - BROWN SANDY CLAY

351' TO 381' - FINE TO MEDIUM SAND & FINE GRAVEL

381' TO 398' - BROWN SANDY CLAY WITH GRAVEL STREAKS

398' TO 415' - BROWN YELLOW CLAY - SMALL BROWN ROCK STREAK 10%

415' TO 428' - BROWN YELLOW CLAY

428' TO 450' - BROWN YELLOW GRAY RED CLAY

450' TO 455' - SHALE

NECEIVE! -

. 870S l I gra

KS GEO SURVEY