


USE TYPEWRITER OR BALL
POINT PEN-PRESS, FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

Location of well:		County KEARNY	Fraction SW 1/4 NE 1/4 NW 1/4	Section number 13	Township number T 25 S R 35 1W	Range number
2. Distance and direction from nearest town or city: 1 1/2 miles south, 2 east of Garden City, Mo. 1 1/2 miles from River Bridge, 1W - 3 1/4 miles 2 1/4 E				3. Owner of well: Winter Wilson Drilling Co. R.R. or street: Box A City, state, zip code: Garden City, Mo. 67846		
4. Locate with "X" in section below: 				6. Bore hole dia. 26 in. Completion date 1-26-76 Well depth 378 ft.		
5. Type and color of material				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 35.87 in. RMP 16 379 Weight 219 lbs./ft. Dia. 16 in. to 16 ft. depth Wall thickness: inches or Dia. 16 in. to 16 ft. depth gage No. 219		
				10. Screen: Manufacturer's name Johnson Division Type Galv. Dia. 16" Slot/gauze 100 Length 20' Set between 320 ft. and 340 ft. Perf. 120 320 ft. and 340 378 ft. Gravel pack? yes Size range of material 1/4" Down		
				11. Static water level: 11 ft. below land surface Date 1-18-76		
				12. Pumping level below land surfaces: 800 87 ft. after 4 hrs. pumping 1350 g.p.m. 87 ft. after 4 hrs. pumping 1350 g.p.m. Estimated maximum yield 1350 g.p.m.		
				13. Water sample submitted: mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date		
				14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade		
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
(Use a second sheet if needed)				17. Pump: Not installed Manufacturer's name Goulds US Pumps Model number 12 JHC HP 100 Volts Length of drop pipe 160 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Winter Wilson Drilling 208 Business name P.O. Box A Garden City, Mo. Address Signed [Signature] Date 3-76 Authorized representative		
18. Elevation:		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

The Professionals

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269

P.O. Box 493

GARDEN CITY, KANSAS 67846

CHUCK JAEGER

Kearny County

12-2-75

Location: NE 13-25-35 30 ft. east of Pivot 26.

Static Water Level - 80'

0	2	Top soil
2	12	Fine sand
12	16	Fine to med. sand & gravel
16	30	Med. coarse gravel
30	35	Brown sandy clay
35	47	Med. sand & gravel
47	72	Brown sandy clay
72	81	Fine to med. sand & gravel
81	114	Brown sandy clay
114	129	Fine to med. sand & gravel
129	136	Brown sandy clay
136	150	Fine to med. sand & gravel (Loose)
150	155	Brown sandy clay
155	176	Fine to med. sand & gravel
176	179	Brown sandy clay
179	221	Med. coarse gravel (Loose)
221	233	Brown sandy clay
233	236	Fine to med. sand & gravel
236	252	Brown sandy clay
252	268	Fine to med. sand & gravel
268	274	Brown sandy clay
274	280	Fine to med. sand-some gravel (Loose)
280	321	Brown sandy clay
321	350	Fine to med. sand & gravel
350	378	Fine to med. sand
378	403	Brown sandy clay
403	409	Brown & yellow clay mixed with brown rock (Hard)
409	420	Shale

TD 378'

20' Screen