


USE TYPEWRITER OR BALL
POINT PEN - PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment - Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County KEARNEY	Fraction NE 1/4 SW 1/4 NE 1/4	Section number 13	Township number T 25 S	Range number R 35 E
2. Distance and direction from nearest town or city: South of Deerfield cross river bridge 1 east 6 1/4 south 1/4 west			3. Owner of well: Triple T. Farms (Circle #13-2-A) R.R. or street: Lakin, Ks 67860 City, state, zip code:		
4. Locate with "X" in section below: 		Sketch map:		6. Bore hole dia. 26 in. Completion date 11-30-76 Well depth 366 ft.	
5. Type and color of material		From	To	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
				9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 367 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. 219 WNC	
				10. Screen: Manufacturer's name Johnson Division Type Galv. Dia. 16" Slot/gauze <input type="checkbox"/> Length 201 Set between 235 ft. and 255 ft. Perf. 100-186 ft. and 255-295, 340-366 Gravel pack? yes Size range of material 1/2" Down	
				11. Static water level: 67 ft. below land surface Date 12-3-75 mg./day/yr.	
				12. Pumping level below land surfaces: 79 ft. after 3 hrs. pumping 1227 g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 1227 g.p.m.	
				13. Water sample submitted: ____ mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date ____	
				14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: N/A ft. ____ Direction ____ Type ____ Well disinfected upon completion? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
				17. Pump: Not installed Manufacturer's name Goulds US Pumps Model number K2152 HP 100 Volts ____ Length of drop pipe 160 ft. capacity 1200 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
		(Use a second sheet if needed)			
18. Elevation:	19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley					
20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Winter Wilson Drilling 208 Business name P.O. Box 4 Garden City, Ks License No. ____ Address ____ Signed [Signature] Date 8-3-76 Authorized representative					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

*The
Professionals*

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Triple T. Farms
Kearny County
10-13-75

Location: NE 13-25-35
Circle 13-2-A, 464 Feet Northwest of Pivot

0	7	Fine Sand
7	19	Fine Sand & Clay
19	54	Med. To Coarse Gravel (Loose)
54	80	Brown Clay
80	112	Fine to Med. Sand & Gravel (Loose)
112	152	Fine to Med. Sand & Gravel, 10% Clay (Loose)
152	186	Fine to Med. Sand & Gravel (Loose)
186	215	Brown Clay
215	235	Blue Clay
235	260	Fine to Med. Sand & Gravel (Loose)
260	279	Brown Sandy Clay
279	295	Fine to Med. Sand & Fine Gravel, 10% Clay (Loose)
295	350	Brown Sandy Clay
350	366	Fine to Med. Sand & Fine Gravel, 10% Clay (Loose)
366	374	Brown & Gray Clay
374	380	Brown, Gray & Yellow Clay with Brown Rock (Hard)

TD 366'