


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County KEARNY	Fraction NW 1/4 SE 1/4 NW 4	Section number 13	Township number T 25 S 85	Range number 17W
2. Distance and direction from nearest town or city: Across river bridge at Deerfield 1 east 7 south 3/4 west Street address of well location if in city: 3/4 north			3. Owner of well: Triple T Farms R.R. or street: (Circle #13-1) City, state, zip code: Lakin, Ks 67860			
4. Locate with "X" in section below: 			Sketch map:		6. Bore hole dia. 26 in. Completion date 11-30-75 Well depth 383 ft.	
5. Type and color of material			From		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
					8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
					9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 6 in. to 304 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No. 219MH	
					10. Screen: Manufacturer's name Johnson Division Type Galv. Dia. 16" Slot/gauze 100 Length 20' Set between 260 ft. and 280 ft. Perf. 100-260 ft. and 280-383 ft. Gravel pack? yes Size range of material 1/4" Down	
					11. Static water level: <input type="checkbox"/> mo./day/yr. 64 ft. below land surface Date 2-8-75	
					12. Pumping level below land surfaces: 85 ft. after 3 hrs. pumping 1120 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1120 g.p.m.	
					13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
					14. Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> 12 inches above grade	
					15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <input type="checkbox"/> ft. to 10 ft.	
					16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Goulds US Pumps Model number K2158 HP 100 Volts <input type="checkbox"/> Length of drop pipe 160 ft. capacity 1200 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other						
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Winter Wilson Drilling 208 Business P.O. Box A Garden City, Ks Address <input type="checkbox"/> Signed [Signature] Date 8-3-76 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WW-C-5

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

Triple T. Farms
Kearny County
10-8-75

Location: NW 13-25-35
Circle 13-1

5 Pivot

0	16	Fine Sand
16	49	Med. To Course Gravel (Loose)
49	84	Brown Clay, Streaks of Gravel, 20% (Loose)
84	114	Fine to Med. Sand & Gravel (Loose)
114	125	Brown Clay
125	140	Fine to Med. Sand & Gravel (Loose)
140	158	Brown Clay
158	182	Blue Clay
182	232	Fine to Med. Sand & Gravel (Loose)
232	245	Brown Sandy Clay, 35% Gravel
245	285	Fine to Med. Sand & Gravel (Loose)
285	292	Brown Sandy Clay
292	314	Brown Sandy Clay & White Rock (Tight)
314	320	Fine to Med. Sand & Fine Gravel, 10% Clay (Loose)
320	335	Fine to Med. Sand & Fine Gravel, 15% Clay (Loose)
335	367	Brown Sandy Clay
367	383	Fine to Med. Sand, 10% Clay (Loose)
383	404	Brown & Gray Clay (Tight)
404	410	Brown, Gray & Yellow Clay (Hard)

TD 383'