USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

Forward the white, blue and pink copies to the Department of Health and Environment

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number			
1. Location of well:	KEARNY	SE 1/4 NH1/4 SE	1/4	13		т 25 s	R 35 1/W			
2. Distance and direction from nearest town or city: Across rvier bridge at Deerfield east 7 south 1 west R.R. or street: (Circle #13-4A) City, state, zip code: Lakin, Ks. 67860										
4. Locate with "X" in section below: N						6. Bore hole dia. 26 in. Well depth 317 ft.		75		
NW NE					-	7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary 8. Use: Domestic Public supply Industry				
SW	W SW E						Irrigation Air conditioning Stock Lawn Oil field water Other 9. Casing: Material & Tailsight: Above to bellow			
						Threaded Welded X Surface 12 in. RMP PVC Weight 36.87 lbs./ft.				
5. Type and color of material From To					Го	Dia. 16. in. to 312ft. depth Wall Thickness: inches or Dia in. to ft. depth gage No. 2/9 h. C				
					\neg	10. Screen Manufacturen 4 v	7511	:		
						Slot/cours 100		:		
						Set between 260 Penf 100-260ft. a Gravel pack? YGS Size rar	nd 280-3)17 ft	<u>.</u>		
					_[11. Static water level:61ft. below land surf	mo./day/yr face Date <u>12-9-75</u>			
						12. Pumping level below land 154 ft. after 3h ft. after h Estimated maximum yield	rs. pumping <u>12</u> 86p.m.			
					\dashv	13. Water sample submitted:	mo./day/yr Date			
						14. Well head completion: Pitless adapter	72 Inches above grade			
						15. Well grouted? Yes With: Neat cement Depth: From Oft. to	BentoniteConcrete]	1/2		
						16. Nearest source of possible ft Direction Well disinfected upon complete	Туре			
					\exists	17. Pump: Manufacturer's name Goul	Not installed Las US Pulsop	1 1W 1 1 W		
							HP <u>100</u> Volts ft. capacity <u>1200</u> p.m.	(8)		
						Type: Submersible Jet	Turbine Reciprocating			
100 51 11	(Use a second sl	neet if needed)	165		72	Centrifugal	Other	1 1/W		
18. Elevation:	19. Remarks:	l.		1874 100	- (a) - (B)	20. Water well contractor's c This well was drilled under my is true to the best of my knowl	/ jurisdiction and this report			
Topography:			- 40		Design of	Minter Vilson Business gode Box A G	Drilling 208 arden City; Mes No.	SE N		
Slope Upland Valley		\sqrt{\int_i}			A	Addless Authorized rep	S-3-76 exentative Date	1/4 1/4 3/2 1/4		

Phone 276-8269 . P.O. Box 493 . GARDEN CITY, KANSAS 67846

Triple T. Farms Kearny County 10-14-75

Location: SE 13-25-35

Circle 13-4-A

482 Ft. West of Pivot

0	17	Fine Sand
17	61	Med. to Coarse Gravel (Loose)
61	78	Brown Clay
78	9 7	Fine to Med. Sand & Gravel (Loose)
97	140	Brown Clay
140	157	Fine to Med. Sand & Gravel (Loose)
157	164	Brown Clay, Streaks of Gravel, 30%
	185	Fine to Med. Sand & Gravel (Loose)
185	191	Brown Sandy Clay
191	215	Fine to Med. Sand & Gravel, 10% Clay (Loose)
	245	Brown Sandy Clay, Streaks of Gravel, 30%
	258	Fine to Med. Sand & Gravel, 10% Clay (Loose)
258	281	Fine to Med. Sand & Gravel (Loose)
281	290	Brown Clay
290	297	Fine to Med. Sand & Fine Gravel, 10% Clay (Loose)
29 7	320	Brown Sandy Clay
	341	Fine to Med. Sand & Fine Gravel, 10% Clay (Loose)
	384	Brown Sandy Clay
384	400	Brown, Gray & Yellow Clay (Hard)

TD 341'